INDEX TO VOLUME 119

AUTHOR INDEX*

A

Abella RF (*see* Marcelletti et al). 2000;119:340-6
Acker MA (*see* Patel et al). 2000;119:834-41
Adams DH (*see* Chen et al). 2000;119:1216-20
Ajani JA (*see* Swisher et al). 2000;119:1126-34
Akindipe O (*see* Barlow et al). 2000;119:466-76
Akins CW. Long-term results of simultaneous carotid endarterectomy and myocardial revascularization with cardiopulmonary bypass used for both procedures. 2000;119:772-3 (Commentary)
Albanil A (*see* Bull et al). 2000;119:242-50
Albayak M (*see* Topçu et al). 2000;119:180-2 (Brief comm.)
Aldamiz-Echevarria G (*see* Villate et al). 2000;119:403-4 (Letter)
Alessandrini F (*see* De Bonis et al). 2000;119:575-80
Allen BS. Discussion of Najm et al. 2000;119:515-24
Allen BS. Discussion of Ross et al. 2000;119:588-95
Allen BS. Discussion of Scorsin et al. 2000;119:1169-75
Allen KB. Discussion of Carpino et al. 2000;119:69-76
Allen KB, Dowling RD, DelRossi AJ, Realyvasques F, Lefrak EA, Pfeffer TA, Fudge TL, Mostovych M, Schuch D, Szentpetery S, Shaar CJ. Transmyocardial laser revascularization combined with coronary artery bypass grafting: a multicenter, blinded, prospective, randomized, controlled trial. 2000;119:540-9
Allen MS. Discussion of Downey et al. 2000;119:420-8
Allen SJ (*see* Cox et al). 2000;119:1255-61
Allison KS (*see* Yamada et al). 2000;119:709-19
Alper A (*see* Topçu et al). 2000;119:180-2 (Brief comm.)
Alvaraz JM, Successful use of C1 esterase inhibitor protein in a patient with hereditary angioneurotic edema requiring coronary artery bypass surgery. 2000;119:168-71 (Brief comm.)
Almassi GH. Discussion of Reichenspurner et al. 2000;119:233-41
Almassi GH. Discussion of Ross et al. 2000;119:588-95
Amano J (*see* Kono et al). 2000;119:101-7
Amato JJ. Discussion of Marcelletti et al. 2000;119:340-6
Amodeo A. Discussion of Marcelletti et al. 2000;119:340-6
Amoscato AA (*see* Weigel et al). 2000;119:795-803
Anagnostopoulos CE. Discussion of Schlichter et al. 2000;119:869-79
Ancona E (*see* Merigliano et al). 2000;119:453-7
Anderson P (*see* Millar et al). 2000;119:192 (Letter)
Angelini GD (*see* Lloyd et al). 2000;119:148-54
Anttila V, Pokela M, Kiviluoma K, Mäkiranta M, Hirvonen J, Juvonen T. Is maintained cranial hypothermia the only factor leading to improved outcome after retrograde cerebral perfusion? an experimental study using a chronic porcine model. 2000;119:1021-9
Antunes MJ (*see* Paul et al). 2000;119:192-3 (Letter reply)
Anzibar R (*see* Picarelli et al). 2000;119:380-1 (Brief comm.)
Aretz HT (*see* Yamada et al). 2000;119:709-19
Ariano RE, Bhattacharya SK, Moon M, Brownell LG. Failure of danaparoid anticoagulation for cardiopulmonary bypass. 2000;119:167-8 (Brief comm.)
Armstrong S (*see* David et al). 2000;119:210-20
Armstrong S (*see* Yau et al). 2000;119:53-61
Arnold JH (*see* Medalion et al). 2000;119:963-74
Arusoglu L (*see* El-Banayosy et al). 2000;119:581-7
Arusoglu L (*see* Körfer et al). 2000;119:596-600
Asamura H. Complete resurrection: Yes or no? 2000;119:193-4 (Letter reply)
Ascione R (*see* Lloyd et al). 2000;119:148-54
Asfour B. Discussion of El-Banayosy et al. 2000;119:581-7
Atkins BZ, Silvestry SC, Samy RN, Shah AS, Sabiston DC, Glower DD. Calcitonin gene–related peptide enhances the recovery of contractile function in stunned myocardium. 2000;119:1246-54
Auden SM (*see* Rodriguez et al). 2000;119:617-9 (Brief comm.)
Austin EH (*see* Pagni and Austin). 2000;119:1297 (Letter)
Austin EH (*see* Rodriguez et al). 2000;119:617-9 (Brief comm.)
Aziz S (*see* Huerd et al). 2000;119:458-65
Aziz T, Hasleton P, Hann AW, Yonan N, Deiraniya A, Hutchinson IV. Transforming growth factor β in relation to cardiac allograft vasculopathy after heart transplantation. 2000;119:700-8

B

Babatasi G, Massetti M, Chapelier A, Fadel E, Macchiarini P, Khayat A, Dartevelle P. Surgical treatment of pulmonary aspergilloma: current outcome. 2000;119:906-12
Babatasi G (*see* Massetti et al). 2000;119:784-9
Bacha EA, Jonas RA, Mayer JE, Perry S, del Nido PJ. Management of pulmonary arteriovenous malformations after surgery for complex congenital heart disease. 2000;119:175-6 (Brief comm.)

*January, 1-202; February, 203-410; March, 411-660; April, part 1, 661-868; April, part 2, S1-48; May, 869-1092; June, 1093-1350.

Backer CL (*see* Marcelletti et al). 2000;119:340-6
Bailey L. Discussion of Aziz et al. 2000;119:700-8
Bains M (*see* Downey et al). 2000;119:420-8
Bains MS (*see* Rusch et al). 2000;119:1147-53
Bairaktaris A (*see* Minami et al). 2000;119:764-72
Balibrea JL (*see* Cantero et al). 2000;119:1119-25
Balling G, Vogt M, Kaemmerer H, Eicken A, Meisner H, Hess J. Intracardiac thrombus formation after the Fontan operation. 2000;119:745-51
Barankay A (*see* Massoudy et al). 2000;119:566-74
Barbut D (*see* Reichenspurner et al). 2000;119:233-41
Barlow CW, Robbins RC, Moon MR, Akindipe O, Theodore J, Reitz BA. Heart-lung versus double-lung transplantation for suppurative lung disease. 2000;119:466-76
Barrenechea JI (*see* Villate et al). 2000;119:403-4 (Letter)
Baskett RJF, Ross DB. Superior vena cava approach to repair of sinus venosus atrial septal defect. 2000;119:178-80 (Brief comm.)
Bauer M (*see* Koster et al). 2000;119:1278-83
Baumgarten CM (*see* Danetz et al). 2000;119:826-33
Baumgartner WA, Greene PS. Developing the academic thoracic surgeon: teaching surgery. 2000;119:S22-5
Bechtel JFM (*see* Schmidtke et al). 2000;119:990-7
Becker BF (*see* Massoudy et al). 2000;119:566-74
Bedini AV (*see* Muscolino et al). 2000;119:853-4 (Brief comm.)
Béland MJ (*see* Tchervenkov et al). 2000;119:314-23
Belanger MP (*see* Najm et al). 2000;119:515-24
Benfield J. Discussion of Freeman et al. 2000;119:260-7
Benfield J. Discussion of Macchiarini et al. 2000;119;268-76
Benfield JR. Discussion of Swisher et al. 2000;119:1126-34
Berger A (*see* Georgiadis et al). 2000;119:138-47
Bergman D. Pulsatile perfusion during cardiopulmonary bypass. 2000;119:188 (Letter)
Berry G (*see* Reichenspurner et al). 2000;119:233-41
Bhatnagar NK (*see* Westaby et al). 2000;119:132-7
Bhattacharya SK (*see* Ariano et al). 2000;119:167-8 (Brief comm.)
Bhoyroo S (*see* Massetti et al). 2000;119:784-9
Biglioli P, Spirito R, Roberto M, Grillo F, Cannata A, Parolari A, Maggioni M, Coggi G. The anterior spinal artery: the main arterial supply of the human spinal cord—a preliminary anatomic study. 2000;119:376-9 (Brief comm.)
Bilsky M (see Rusch et al). 2000;119:1147-53
Biomodality Lung Oncolgy Team (BLOT) (*see* Pisters et al). 2000;119:429-39
Bjerre T (*see* Randsbaek et al). 2000;119:1030-8
Black A (*see* Lloyd et al). 2000;119:148-54
Black MD (*see* Najm et al). 2000;119:515-24
Black MD (*see* Rodefeld et al). 2000;119:851-3 (Brief comm.)
Blackstone EH, Lytle BW. Competing risks after coronary bypass surgery: the influence of death on reintervention. 2000;119:1221-32
Blackstone EH (*see* McDonald et al). 2000;119:1205-15
Blackstone EH (*see* Medalion et al). 2000;119:963-74
Blackstone EH (*see* Sabik et al). 2000;119:946-62
Boasquevisque HR (*see* Mora et al). 2000;119:913-20
Boethig D (*see* Minami et al). 2000;119:764-72
Boglione M (*see* Mora et al). 2000;119:913-20
Bohnet U (*see* Grimm et al). 2000;119:477-87
Bojar RM (*see* Carpino et al). 2000;119:69-76
Boknik P (*see* Meisner et al). 2000;119:820-5
Boland P (*see* Rusch et al). 2000;119:1147-53
Bolger AF (*see* Timek et al). 2000;119:774-83
Bolling SF. Discussion of Suma et al. 2000;119:1233-45
Bolman RM (*see* Kulick et al). 2000;119:690-9
Bonchek LI. Discussion of Yau et al. 2000;119;53-61
Borger MA (*see* Rao et al). 2000;119:1176-84
Börner A (*see* Georgiadis et al). 2000;119:138-47
Bøtker HE (*see* Randsbaek et al). 2000;119:1030-8
Bouchardy C (*see* de Perrot et al). 2000;119:21-6
Boutin C (*see* Najm et al). 2000;119:515-24
Bove EL. Discussion of Jahangiri et al. 2000;119:508-14
Bove EL (*see* Mosca et al). 2000;119:1110-8
Boyle K (*see* Swanson et al). 2000;119:27-38
Bozkurt D (*see* Topçu et al). 2000;119:180-2 (Brief comm.)
Brann S (*see* Cartier et al). 2000;119:221-9
Brannan JA (*see* McBride et al). 2000;119:1015-20
Braun SL (*see* Massoudy et al). 2000;119:566-74
Braunberger E, Raynal-Raschilas N, Thomas-Vaslin V, Bruneval P, Fabiani JN, Carpentier A, Glotz D, Klatzmann D. Tolerance induced without immunosuppression in a T-lymphocyte suicide-gene therapy cardiac allograft model in mice. 2000;119:46-53
Breinholt JP (*see* Hawkins et al). 2000;119:324-30
Brock MV, Heitmiller RF. Spontaneous anterior thoracic lung hernias. 2000;119:1046-7 (Brief comm.)
Bromberg JS (*see* Mora et al). 2000;119:913-20
Brooks JP, Tripp HF. Bioabsorbable weave technique for repair of pectus excavatum. 2000;119:176-8 (Brief comm.)
Brown S (*see* Westaby et al). 2000;119:132-7
Brown T (*see* Swisher et al). 2000;119:1126-34
Brownell LG (*see* Ariano et al). 2000;119:167-8 (Brief comm.)
Bruneval P (*see* Braunberger et al). 2000;119:46-53
Bueno R (*see* Swanson et al). 2000;119:27-38
Buffa PF (*see* Muscolino et al). 2000;119:853-4 (Brief comm.)
Bugajski P (*see* Kalawski et al). 2000;119:1270-7
Bukhari E (*see* Oakley et al). 2000;119:190-1 (Letter)
Bull DA, Connors RC, Albanil A, Reid BB, Neumayer LA, Nelson R, Stringham JC, Karwande SV. Aprotinin preserves myocardial biochemical function during cold storage through suppression of tumor necrosis factor. 2000;119:242-50
Bull DA (*see* Stringham et al). 2000;119:1293-4 (Brief comm.)
Bunn PA (*see* Pisters et al). 2000;119:429-39
Burns RJ (*see* Li et al). 2000;119:62-8
Bush A (*see* Li et al). 2000;119:525-33

C

Cagol M (*see* Merigliano et al). 2000;119:453-7
Campa PP (*see* Monti et al). 2000;119:842-8
Campbell DB (*see* Patterson and Campbell). 2000;119:624-9
Campbell DN (*see* Huerd et al). 2000;119:458-65
Cannata A (*see* Biglioli et al). 2000;119:376-9 (Brief comm.)
Cantero R, Torres AJ, Maestro ML, Hernando F, Sanz MT, del Barco V, Gómez A, Fernández C, Balibrea JL. Prognostic value of the quantified expression of $p185^{c\text{-}erbB2}$ in non–small cell lung cancer. 2000;119:1119-25
Capps SB, Elkins RC, Fronk DM. Body surface area as a predictor of aortic and pulmonary valve diameter. 2000;119:975-82
Carpentier A (*see* Braunberger et al). 2000;119:46-53
Carpentier AF. Discussion of Li et al. 2000;119:368-75
Carpentier AF. Discussion of Ross et al. 2000;119:588-95
Carpentier AF. Discussion of Stock et al. 2000;119:732-40
Carpentier AF. Discussion of Yau et al. 2000;119;53-61
Carpino PA, Khabbaz KR, Bojar RM, Rastegar H, Warner KG, Murphy RE, Payne DD. Clinical benefits of endoscopic vein harvesting in patients with risk factors for saphenectomy wound infections undergoing coronary artery bypass grafting. 2000;119:69-76
Carson S (*see* Mickleborough et al). 2000;119:550-7
Carthey J (*see* de Leval et al). 2000;119:661-72
Cartier R, Brann S, Dagenais F, Martineau R, Couturier A. Systemic off-pump coronary artery revascularization in multivessel disease: experience of three hundred cases. 2000;119:221-9
Cartmill TB (*see* Nicholson et al). 2000;119:741-4
Castedo E (*see* Varela et al). 2000;119:402-3 (Letter)
Catnaese KA (*see* Morales et al). 2000;119:251-9
Cavaliere F (*see* De Bonis et al). 2000;119:575-80
Cecchin F (*see* Starnes et al). 2000;119:534-9
Çetin G (*see* Topçu et al). 2000;119:180-2 (Brief comm.)
Chachques JC. Discussion of Scorsin et al. 2000;119:1169-75
Chai P (*see* Langley et al). 2000;119:305-13
Chai PJ (*see* Langley et al). 2000;119:1262-9
Chamberlain MH, Taggart DP. Solitary fibrous tumor associated with hypoglycemia: an example of the Doege-Potter syndrome. 2000;119:185-7 (Brief comm.)
Chambers CE (*see* Damiano et al). 2000;119:77-82
Chapelier A (*see* Babatasi et al). 2000;119:906-12
Chapelier A (*see* Macchiarini et al). 2000;119:268-76
Chard RB (*see* Nicholson et al). 2000;119:741-4
Charpie JR (*see* Mosca et al). 2000;119:1110-8
Chen RH, Kadner A, Mitchell RN, Adams DH. Fresh porcine cardiac valves are not rejected in primates. 2000; 119:1216-20
Cheng TO. Combined mitral valve repair and the Cox maze procedure for mitral valve prolapse and regurgitation and associated atrial fibrillation. 2000;119:634 (Letter)
Chetham P (*see* Huerd et al). 2000;119:458-65
Chien S, Zhang F, Niu W, Tseng MT, Gray L. Comparison of University of Wisconsin, Euro-Collins, low-potassium dextran, and Krebs-Henseleit solutions for hypothermic lung preservation. 2000;119:921-30
Chin AJ (*see* McElhinney et al). 2000;119:849-51 (Brief comm.)
Chiu RC-J. Discussion of Li et al. 2000;119;62-8
Chocron S, Etievent J-P. Warm reperfusion as an adjunct to myocardial protection. 2000;119:1078 (Letter)
Chocron S, Kaili D, Yan Y, Toubin G, Latini L, Clement F, Viel J-F, Etievent J-P. Intermediate lukewarm (20°C) antegrade intermittent blood cardioplegia compared with cold and warm blood cardioplegia. 2000;119:610-6
Choh S (*see* Hata et al). 2000;119:125-9
Choi A (*see* Li et al). 2000;119:368-75
Choo JK (*see* Yamada et al). 2000;119:709-19
Christakis GT (*see* Rao et al). 2000;119:1176-84
Christian KR (*see* Roberts et al). 2000;119:449-52
Ciccone AM (*see* Venuta et al). 2000;119:682-9
Cipriani A (*see* Marcelletti et al). 2000;119:340-6
Clancy RR, McGaurn SA, Wernovsky G, Spray TL, Norwood WI, Jacobs ML, Murphy JD, Gaynor JW, Goin JE. Preoperative risk-of-death prediction model in heart surgery with deep hypothermic circulatory arrest in the neonate. 2000;119:347-57
Clarke DR. Discussion of Hawkins et al. 2000;119;324-30
Clement F (see Chocron et al). 2000;119:610
Clemo HF (*see* Danetz et al). 2000;119:826-33
Cochran R. Discussion of Ratcliffe et al. 2000;119:1194-204
Cochran RP (*see* Grande-Allen et al). 2000;119:753-62
Coggi G (*see* Biglioli et al). 2000;119:376-9 (Brief comm.)
Cohen G (*see* Rao et al). 2000;119:1176-84
Cohn LH. Becoming a surgical leader. 2000;119:S42-4
Colagrande L (*see* Marcelletti et al). 2000;119:340-6
Coles JG (*see* Najm et al). 2000;119:515-24
Coloni GF (*see* Venuta et al). 2000;119:682-9
Colvin SB. Discussion of Cartier et al. 2000;119:221-9
Connors RC (*see* Bull et al). 2000;119:242-50
Cooper JA (*see* Suda et al). 2000;119:297-304
Cooper JD. Discussion of Ferguson and Karrison. 2000;119:440-8
Cooper JD. Discussion of Venuta et al. 2000;119:682-9
Cooper JD (*see* Reznik et al). 2000;119:39-45
Cornel G (*see* Rodriguez et al). 2000;119:617-9 (Brief comm.)
Cornel GA (*see* Rodriguez et al). 2000;119:634-5 (Letter)
Cosgrove DM (*see* McDonald et al). 2000;119:1205-15
Cosgrove DM (*see* Medalion et al). 2000;119:963-74
Cosgrove DM (*see* Sabik et al). 2000;119:946-62
Couturier A (*see* Cartier et al). 2000;119:221-9
Cox CS, Allen SJ, Sauer H, Frederick J. Effects of selectin-sialyl $Lewis^x$ blockade on mesenteric microvascular permeability associated with cardiopulmonary bypass. 2000;119:1255-61
Cox J. Discussion of Braunberger et al. 2000;119;46-52
Cox JL. Discussion of Ross et al. 2000;119:588-95
Crawford E (*see* Williams et al). 2000;119:720-31
Crawford FA. Developing administrative skills. 2000; 119:S33-7

Crawford FA (*see* Walker et al). 2000;119:388-400
Criniti A (*see* Monti et al). 2000;119:842-8
Crowley DC (*see* Mosca et al). 2000;119:1110-8
Crowley JJ (*see* Pisters et al). 2000;119:429-39
Cusimano RJ (*see* Li et al). 2000;119:62-8

D

Daebritz SH, Nollert GDA, Zurakowski D, Khalil PN, Lang P, del Nido PJ, Mayer JE, Jonas RA. Results of Norwood stage I operation: comparison of hypoplastic left heart syndrome with other malformations. 2000;119:358-67
Dagenais F (*see* Cartier et al). 2000;119:221-9
Dagum P (*see* Timek et al). 2000;119:774-83
Dai G (*see* Oriaku et al). 2000;119:1102-9
Dalmasso AP (*see* Kulick et al). 2000;119:690-9
Damiano RJ, Ehrman WJ, Ducko CT, Tabaie HA, Stephenson ER, Kingsley CP, Chambers CE. Initial United States clinical trial of robotically assisted endoscopic coronary artery bypass grafting. 2000;119:77-82
Danetz JS, Davies RD, Clemo HF, Baumgarten CM. Rabbit ventricular myocyte volume changes as a direct result of crystalloid cardioplegia in congestive heart failure induced by aortic regurgitation. 2000;119:826-33
Danetz JS (*see* Danetz et al). 2000;119:826-33
Danielsen GK (*see* El-Najdawi et al). 2000;119:880-6
Dartevel P (*see* Babatasi et al). 2000;119:906-12
Dartevel P (*see* Macchiarini et al). 2000;119:268-76
Daughters GT (*see* Timek et al). 2000;119:774-83
David TE. Re-creation of sinuses is important for sparing the aortic valve: a finite element study. 2000;119:762-3 (Commentary)
David TE. Innovation in surgery. 2000;119:S38-41
David TE, Omran A, Ivanov J, Armstrong S, de Sa MPL, Sonnenberg B, Webb G. Dilation of the pulmonary autograft after the Ross procedure. 2000;119:210-20
David TE (*see* Yau et al). 2000;119:53-61
Davies RD (*see* Danetz et al). 2000;119:826-33
Davis DA (*see* Paul et al). 2000;119:192-3 (Letter reply)
Davis RD. Discussion of Venuta et al. 2000;119:682-9
Deac RC. Discussion of Schlichter et al. 2000;119:869-79
De Bonis M, Cavaliere F, Alessandrini F, Lapenna E, Santarelli F, Moscato U, Schiavello R, Possati GF. Topical use of tranexamic acid in coronary artery bypass operations: a double-blind, prospective, randomized, placebo-controlled study. 2000;119:575-80
DeCamp MM. Discussion of Ferguson and Karrison. 2000;119:440-8
de Cassia Mayorquim R (*see* Schlichter et al). 2000;119:869-79
De Giacomo T (*see* Venuta et al). 2000;119:682-9
de la Torre T (*see* Marcelletti et al). 2000;119:340-6
de Leval MR Discussion of Clancy et al. 2000;119:347-57
de Leval MR, Carthey J, Wright DJ, Farewell VT, Reason JT. Human factors and cardiac surgery: a multicenter study. 2000;119:661-72
Dembitsky W. Discussion of Morales et al. 2000;119:251-9
de Perrot M, Licker M, Bouchardy C, Usel M, Robert J, Spiliopoulos A. Sex differences in presentations, management, and prognosis of patients with non–small cell lung carcinoma. 2000;119:21-6
de Sa MPL (*see* David et al). 2000;119:210-20
de Zárate PG (*see* Villate et al). 2000;119:403-4 (Letter)
Dearani JA (*see* El-Najdawi et al). 2000;119:880-6
Deaton DW (*see* Engelman et al). 2000;119:230-2
Debruyne L (*see* Mora et al). 2000;119:913-20
DeCamp M (*see* Temes et al). 2000;119:1298 (Letter)
Deeb M, Shrager JB, Edelman JD, Kaiser L. Lymphangioleiomyomatosis: the surgeon's role in diagnosis. 2000;119:622-3 (Brief comm.)
DeFord L (*see* Swisher et al). 2000;119:1126-34
Deiraniya A (*see* Aziz et al). 2000;119:700-8
del Barco V (*see* Cantero et al). 2000;119:1119-25
del Nido PJ (*see* Bacha et al). 2000;119:175-6 (Brief comm.)
del Nido PJ (*see* Daebritz et al). 2000;119:358-67
del Nido PJ (*see* Jahangiri et al). 2000;119:508-14
DelRossi AJ (*see* Allen et al). 2000;119:540-9
Deskur E (*see* Kalawski et al). 2000;119:1270-7
Deslauriers R (*see* Oriaku et al). 2000;119:1102-9
Deufel T (*see* Georgiadis et al). 2000;119:138-47
Digerness SB (*see* Holman et al). 2000;119:1093-101
DiSesa V. Discussion of Braunberger et al. 2000;119;46-52
DiSesa V. Discussion of Mora et al. 2000;119:913-20
DiSesa VJ. Discussion of El-Banayosy et al. 2000;119:581-7
DiSesa VJ. Discussion of Pham et al. 2000;119:673-81
DiSesa VJ. Discussion of Ross et al. 2000;119:588-95
Donovan C (*see* Swanson et al). 2000;119:27-38
D'Ovidio F (*see* Suda et al). 2000;119:297-304
Dowling RD (*see* Allen et al). 2000;119:540-9
Downey RJ, Rusch V, Hsu FI, Leon L, Venkatraman E, Linehan D, Bains M, van Zee K, Korst R, Ginsberg R. Chest wall resection for locally recurrent breast cancer: Is it worthwhile? 2000;119:420-8
Downey RJ (*see* Rusch et al). 2000;119:1147-53
Drinkwater D (*see* Roberts et al). 2000;119:449-52
Driscoll DJ (*see* El-Najdawi et al). 2000;119:880-6
Ducko CT (*see* Damiano et al). 2000;119:77-82
Duffy JY (*see* Pearl et al). 2000;119:931-8
Duhagon P (*see* Picarelli et al). 2000;119:380-1 (Brief comm.)
Duncan BW (*see* Starnes et al). 2000;119:534-9
Dziadziuszko R (*see* Jassem et al). 2000;119:1141-6

E

Edelman JD (*see* Deeb et al). 2000;119:622-3 (Brief comm.)
Egan TM. Discussion of Barlow et al. 2000;119:466-76
Egan TM. Discussion of Huerd et al. 2000;119:458-65
Egan TM. Discussion of Swanson et al. 2000;119:27-38
Egan TM. Discussion of Venuta et al. 2000;119:682-9
Ehrman WJ (*see* Damiano et al). 2000;119:77-82

Eicken A (*see* Balling et al). 2000;119:745-51
El-Banayosy A, Arusoglu L, Kizner L, Tenderich G, Minami K, Inoue K, Körfer R. Novacor left ventricular assist system versus HeartMate vented electric left ventricular assist system as a long-term mechanical circulatory support device in bridging patients: a prospective study. 2000;119:581-7
El-Banayosy A (*see* Körfer et al). 2000;119:596-600
Elkins RC. Discussion of David et al. 2000;119:210-20
Elkins RC (*see* Capps et al). 2000;119:975-82
Ellis JT, Yoganathan AP. A comparison of the hinge and near-hinge flow fields of the St Jude Medical Hemodynamics Plus and Regent bileaflet mechanical heart valves. 2000;119:83-93
El-Najdawi EK, Driscoll DJ, Puga FJ, Dearani JA, Spotts BE, Mahoney DW, Danielson GK. Operation for partial atrioventricular septal defect: a forty-year review. 2000;119:880-6
Emara M. Discussion of Reichenspurner et al. 2000;119:233-41
Engelman RM, Pleet AB, Hicks R, Rousou JA, Flack JE, Deaton DW, Pekow PS, Gregory CA. Is there a relationship between systemic perfusion temperature during coronary artery bypass grafting and extent of intraoperative ischemic central nervous system injury? 2000;119:230-2
Ermert L (*see* Grimm et al). 2000;119:477-87
Essner R, Huynh Y, Nguyen T, Morton DL, Hoon DSB. Functional interleukin 4 receptor and interleukin 2 receptor common γ-chain on human non–small cell lung cancers: novel targets for immune therapy. 2000;119:10-20
Estrera AS (*see* Takeda et al). 2000;119:191-2 (Letter)
Etievent J-P (*see* Chocron and Etievent). 2000;119:1078 (Letter)
Etievent J-P (*see* Chocron et al). 2000;119:610-6
Evora PBB. Should methylene blue be the drug of choice to treat vasoplegias caused by cardiopulmonary bypass and anaphylactic shock? 2000;119:632-3 (Letter)

F

Fabiani JN (*see* Braunberger et al). 2000;119:46-53
Fadel E (*see* Babatasi et al). 2000;119:906-12
Fadel E (*see* Macchiarini et al). 2000;119:268-76
Fagan GP (*see* Swanson et al). 2000;119:27-38
Faidutti B (*see* Kalangos et al). 2000;119:1185-92
Farag El-Ghoneimi YA (*see* Yau et al). 2000;119:53-61
Farewell VT (*see* de Leval et al). 2000;119:661-72
Fearneyhough C (*see* Starnes et al). 2000;119:534-9
Ferguson MK, Karrison T. Does pneumonectomy for lung cancer adversely influence long-term survival? 2000;119:440-8
Ferguson MK. Discussion of Kulick et al. 2000;119:690-9
Ferguson MK. Discussion of Pisters et al. 2000;119:429-39
Ferguson MK. Discussion of Roberts et al. 2000;119:449-52
Ferguson MK. Discussion of Weigel et al. 2000;119:795-803
Fernández C (*see* Cantero et al). 2000;119:1119-25
Fey O (*see* Körfer et al). 2000;119:596-600
Fiore AC (*see* McBride et al). 2000;119:1015-20
Fischer S, Hopkinson D, Liu M, Keshavjee S. Raffinose improves the function of rat pulmonary grafts stored for twenty-four hours in low-potassium dextran solution. 2000;119:488-92
Fiszman M (*see* Scorsin et al). 2000;119:1169-75
Flack JE (*see* Engelman et al). 2000;119:2[illegible]-2
Fodor WL (*see* Kulick et al). 2000;119:690-9
Fogelson BG, Nawas SI, Law WR. Mechanisms of myocardial protection by adenosine-supplemented cardioplegic solution: myofilament and metabolic responses. 2000;119:601-9
Follette DM. Discussion of Swanson et al. 2000;119:27-38
Fontan F (*see* Marcelletti et al). 2000;119:340-6
Foppiano LE (*see* Timek et al). 2000;119:774-83
Fosburg RG. Discussion of Stephens and Wood. 2000;119:289-96
Fraser CD (*see* Ündar and Fraser). 2000;119:189 (Letter)
Frazier OH. Discussion of Allen et al. 2000;119:540-9
Frederick J (*see* Cox et al). 2000;119:1255-61
Freeman RK, Vallières E, Verrier ED, Karmy-Jones R, Wood DE. Descending necrotizing mediastinitis: an analysis of the effects of serial surgical debridement on patient mortality. 2000;119:260-7
Freyholdt T (*see* Massoudy et al). 2000;119:566-74
Friedberg JS. Discussion of Downey et al. 2000;119:420-8
Fritzsche D (*see* Minami et al). 2000;119:764-72
Fronk DM (*see* Capps et al). 2000;119:975-82
Fryer JH (*see* Shamberger et al). 2000;119:1154-61
Fudge TL (*see* Allen et al). 2000;119:540-9
Fuhlbrigge A (*see* Swanson et al). 2000;119:27-38
Fujii H (*see* Otani et al). 2000;119:998-1007
Fujii S (*see* Kawasuji et al). 2000;119:1008-13
Fujimura S (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Fujino N (*see* Yamashita et al). 2000;119:899-905
Fukahara K (*see* Minami et al). 2000;119:764-72
Fuller TC (*see* Hawkins et al). 2000;119:324-30
Fung JJ (*see* Pham et al). 2000;119:673-81
Furey WW (*see* Raftopoulos et al). 2000;119:1288 (Brief comm.)

G

Gámez P (*see* Varela et al). 2000;119:402-3 (Letter)
Gangemi JJ (*see* Ross et al). 2000;119:588-95
García Montero C (*see* Varela et al). 2000;119:402-3 (Letter)
Gardner F (*see* Lloyd et al). 2000;119:148-54
Gasparyan VC. Method of determination of aortic valve parameters for its reconstruction with autopericardium: an experimental study. 2000;119:386-7 (Brief comm.)
Gaynor JW (*see* Clancy et al). 2000;119:347-57
Gaztelurrutia L (*see* Villate et al). 2000;119:403-4 (Letter)
Gebhardt MC (*see* Shamberger et al). 2000;119:1154-61
Gelijns AC (*see* Williams et al). 2000;119:720-31

Georgiadis D, Berger A, Kowatschev E, Lautenschläger C, Börner A, Lindner A, Schulte-Mattler W, Zerkowski H-R, Zierz S, Deufel T. Predictive value of S-100β and neuron-specific enolase serum levels for adverse neurologic outcome after cardiac surgery. 2000;119:138-47
Ginsberg R (*see* Downey et al). 2000;119:420-8
Ginsberg RJ (*see* Pisters et al). 2000;119:429-39
Ginsberg RJ (*see* Rusch et al). 2000;119:1147-53
Giroux DJ (*see* Pisters et al). 2000;119:429-39
Glasson JR (*see* Timek et al). 2000;119:774-83
Glotz D (*see* Braunberger et al). 2000;119:46-53
Glover FL, Shroyer AL. Clinical science research. 2000;119:S11-21
Glower DD. Insulin cardioplegia for elective coronary bypass surgery. 2000;119:1185 (Commentary)
Glower DD (*see* Atkins et al). 2000;119:1246-54
Goin JE (*see* Clancy et al). 2000;119:347-57
Gold JP (*see* Reichenspurner et al). 2000;119:233-41
Goldberg CS (*see* Mosca et al). 2000;119:1110-8
Goldstein EA (*see* Morales et al). 2000;119:251-9
Gómez A (*see* Cantero et al). 2000;119:1119-25
González de Zárate P (*see* Villate et al). 2000;119:403-4
Grande-Allen J, Cochran RP, Reinhall PG, Kunzelman KS. Re-creation of sinuses is important for sparing the aortic valve: a finite element study. 2000;119:753-62
Gray L (*see* Chien et al). 2000;119:921-30
Green GR (*see* Timek et al). 2000;119:774-83
Greene PS (*see* Baumgartner and Greene). 2000;119:S22-5
Greenspan JS (*see* Paul et al). 2000;119:192-3 (Letter reply)
Gregory CA (*see* Engelman et al). 2000;119:230-2
Grier HE (*see* Shamberger et al). 2000;119:1154-61
Griffith BP (*see* Pham et al). 2000;119:673-81
Griffith BP (*see* Pigula et al). 2000;119:331-9
Grifka RG (*see* Starnes et al). 2000;119:534-9
Grillo F (see Biglioli et al). 2000;119:376-9 (Brief comm.)
Grimm H, Mages P, Lindemann G, Potthoff M, Bohnet U, Korom S, Ermert L. Evidence against a pivotal role of preformed antibodies in delayed rejection of a guinea pig–to–rat heart xenograft. 2000;119:477-87
Grimm RA (*see* McDonald et al). 2000;119:1205-15
Grosso M. Discussion of Suda et al. 2000;119:297-304
Grover FL (*see* Huerd et al). 2000;119:458-65
Guyton S. Discussion of Macchiarini et al. 2000;119;268-76
Guzman EJ, Smith AJ, Tietjen PA. Bronchiolitis obliterans–organizing pneumonia after coronary artery bypass graft surgery. 2000;119:382-3 (Brief comm.)

H

Habicht JM, Passweg J, Kuhne T, Leibundgut K, Zerkowski H-R. Successful local excision and long-term survival for invasive pulmonary aspergillosis during neutropenia after bone marrow transplantation. 2000;119:1286-7(Brief comm.)
Hagège A (*see* Scorsin et al). 2000;119:1169-75
Hall TS (*see* Ratcliffe et al). 2000;119:115-24
Halligan PW (*see* Westaby et al). 2000;119:132-7
Hama Y (*see* Kono et al). 2000;119:101-7
Hammond GL. Discussion of Allen et al. 2000;119:540-9
Hanley F. Discussion of Pigula et al. 2000;119:331-9
Hanley FL. Management of the congenitally abnormal right ventricular outflow tract—What is the right approach? 2000;119:1-3 (Editorial)
Hanley FL. Pulmonary function after modified venovenous ultrafiltration in infants: a prospective, randomized trial. 2000;119:506-7 (Commentary)
Hanley FL (*see* Marcelletti et al). 2000;119:340-6
Hann AW (*see* Aziz et al). 2000;119:700-8
Hansen R (*see* Koster et al). 2000;119:1278-83
Harmon JW, Stump D. Biochemical markers of the brain injury after cardiac surgery. 2000;119:130-1 (Commentary)
Hasleton P (*see* Aziz et al). 2000;119:700-8
Hata H (*see* Hata et al). 2000;119:125-9
Hata M, Shiono M, Orime Y, Yagi S, Yamamoto T, Okumura H, Kimura S-I, Sezai A, Kashiwazaki S, Choh S, Negishi N, Sezai Y, Yokoyama E, Hata H. Clinical results of coronary artery bypass grafting with use of the internal thoracic artery under low free flow conditions 2000;119:125-9
Hattler BG (*see* Pham et al). 2000;119:673-81
Hattori R (*see* Otani et al). 2000;119:998-1007
Hattori R (*see* Yoshihara et al). 2000;119:790-4
Hawkins JA, Breinholt JP, Lambert LM, Fuller TC, Profaizer T, McGough EC, Shaddy RE. Class I and class II anti-HLA antibodies after implantation of cryopreserved allograft material in pediatric patients. 2000;119:324-30
Hayes CJ (*see* Williams et al). 2000;119:720-31
He G-W, Yang C-Q. Comparative study on calcium channel antagonists in the human radial artery: clinical implications. 2000;119:94-100
He G-W, Yang C-Q. Vasorelaxant effect of phosphodiesterase-inhibitor milrinone in the human radial artery used as coronary bypass graft. 2000;119:1039-45
Healey JH (*see* Shamberger et al). 2000;119:1154-61
Heitmiller RF (*see* Brock and Heitmiller). 2000;119:1046-7 (Brief comm.)
Helman DN (*see* Morales et al). 2000;119:251-9
Hennein HA. Venovenous ultrafiltration after cardiopulmonary bypass in children: a prospective randomized study. 2000;119:630 (Retraction)
Henze R (*see* Massoudy et al). 2000;119:566-74
Herden T (*see* Stock et al). 2000;119:732-40
Hernando F (*see* Cantero et al). 2000;119:1119-25
Hess J (*see* Balling et al). 2000;119:745-51
Hetzer R (*see* Koster et al). 2000;119:1278-83
Hetzer R (*see* Pasic et al). 2000;119:379-80 (Brief comm.)
Hicks R (*see* Engelman et al). 2000;119:230-2
Hida Y (*see* Suzuki et al). 2000;119:182-4 (Brief comm.)
Hill J (*see* James et al). 2000;119:171-2 (Brief comm.)
Hiratsuka M (*see* Suda et al). 2000;119:297-304
Hirvonen J (*see* Anttila et al). 2000;119:1021-9
Hodges TN (*see* Huerd et al). 2000;119:458-65

Holman WL, Skinner JL, Killingsworth CR, Rogers JM, Melnick S, Ideker RE, Digerness SB. Controlled postcardioplegia reperfusion: mechanism for attenuation of reperfusion injury. 2000;119:1093-101
Holmgren D. 119:4-9;(*see* Solymar et al). 2000
Hong J (*see* Ratcliffe et al). 2000;119:115-24
Hong J (*see* Ratcliffe et al). 2000;119:1194-204
Hoon DSB (*see* Essner et al). 2000;119:10-20
Hopkinson D (*see* Fischer et al). 2000;119:488-92
Hori G (*see* Suzuki et al). 2000;119:182-4 (Brief comm.)
Horii T (*see* Suma et al). 2000;119:1233-45
Horio T (*see* Yoshihara et al). 2000;119:790-4
Horvath KA. Discussion of Allen et al. 2000;119:540-9
Hoshino Y (*see* Ogata et al). 2000;119:983-9
Hosokawa J (*see* Suma et al). 2000;119:1233-45
Hoydu AK (*see* McElhinney et al). 2000;119:849-51 (Brief comm.)
Hsia CC (*see* Takeda et al). 2000;119:191-2 (Letter)
Hsu FI (*see* Downey et al). 2000;119:420-8
Hudspeth AS. Discussion of Carpino et al. 2000;119:69-76
Hueppe M (*see* Schmidtke et al). 2000;119:990-7
Huerd SS, Hodges TN, Grover FL, Mault JR, Mitchell MB, Campbell DN, Aziz S, Chetham P, Torres F, Zamora MR. Secondary pulmonary hypertension does not adversely affect outcome after single lung transplantation. 2000; 119:458-65
Husain A (*see* Svensson et al). 2000;119:163-6 (Brief comm.)
Husain M (*see* Li et al). 2000;119:62-8
Hutchinson IV (*see* Aziz et al). 2000;119:700-8
Huynh Y (*see* Essner et al). 2000;119:10-20
Hvass U. A new technique for sparing the aortic valve in patients with aneurysm of the ascending aorta and root. 2000;119:1048 (Brief comm.)
Hvass U. Posterior aortoventricular bleeding after aortic valve replacement with the stentless Cryolife-O'Brien valve. 2000;119:857-8 (Letter)

I

Iannettoni MD (*see* Orringer et al). 2000;119:277-88
Ideker RE (*see* Holman et al). 2000;119:1093-101
Iguro Y (*see* Moriyama et al). 2000;119:620-1 (Brief comm.)
Imamura H (*see* Otani et al). 2000;119:998-1007
Ingels NB (*see* Timek et al). 2000;119:774-83
Ingenito EP (*see* Swanson et al). 2000;119:27-38
Inoue K (*see* El-Banayosy et al). 2000;119:581-7
Iorio FS (*see* Marcelletti et al). 2000;119:340-6
Ishikawa S (*see* Ogata et al). 2000;119:983-9
Isobe M (*see* Kono et al). 2000;119:101-7
Isomura T (*see* Suma et al). 2000;119:1233-45
Ivanov J (*see* David et al). 2000;119:210-20
Ivanov J (*see* Mickleborough et al). 2000;119:550-7
Ivanov J (*see* Rao et al). 2000;119:1176-84
Ivanov J (*see* Yau et al). 2000;119:53-61
Iwahashi K (*see* Suma et al). 2000;119:1233-45
Iwanochko M (*see* Li et al). 2000;119:62-8
Iwashiro K (*see* Monti et al). 2000;119:842-8

J

Jablons D. Discussion of Swisher et al. 2000;119:1126-34
Jacobs ML (*see* Clancy et al). 2000;119:347-57
Jaggers J (*see* Langley et al). 2000;119:305-13
Jaggers JJ (*see* Langley et al). 2000;119:1262-9
Jahangiri M, Shinebourne EA, Keogh B, Lincoln C. Should the bidirectional Glenn procedure be better performed through the support of cardiopulmonary bypass? 2000;119:635 (Letter reply)
Jahangiri M, Zurakowski D, Mayer JE, del Nido PJ, Jonas RA. Does the degree of cyanosis affect myocardial adenosine triphosphate levels and function in children undergoing surgical procedures for congenital heart disease? 2000;119:508-14
Jaklitsch M. Discussion of Suda et al. 2000;119:297-304
Jaklitsch MT. Discussion of Swisher et al. 2000;119:1126-34
Jaklitsch MT (*see* Swanson et al). 2000;119:27-38
James EA, Hill J, Uppal R, Prentice MB. Bartonella infection: a significant cause of native valve endocarditis necessitating surgical management. 2000;119:171-2 (Brief comm.)
Jamieson WRE. Discussion of Langley et al. 2000; 119:305-13
Jaramillo A (*see* Reznik et al). 2000;119:39-45
Jarvis WR (*see* Trick et al). 2000;119:108-14
Jassem E (*see* Jassem et al). 2000;119:1141-6
Jassem J, Skokowski J, Dziadziuszko R, Jassem E, Szymanowska A, Rzyman W, Roszkiewicz A. Results of surgical treatment of non–small cell lung cancer. 2000;119:1141-6
Jeppsson A (*see* Pellegrini et al). 2000;119:493-500
Jia Z (*see* Li et al). 2000;119:62-8
Jia Z-Q (*see* Li et al). 2000;119:368-75
Johansson J, Walther B. Is neck or chest anastomosis preferable during esophageal resection? 2000;119:1299 (Letter reply)
Johnson DH (*see* Pisters et al). 2000;119:429-39
Jonas RA. Intracardiac thrombus formation after the Fontan operation. 2000;119:751-2 (Commentary)
Jonas RA (*see* Bacha et al). 2000;119:175-6 (Brief comm.)
Jonas RA (*see* Daebritz et al). 2000;119:358-67
Jonas RA (*see* Jahangiri et al). 2000;119:508-14
Jones KC (*see* Trick et al). 2000;119:108-14
Jones KW. Twenty-five years of excellence: the legacy and the challenge. 2000;119:203-9 (Presidential address)
Jones RH. Discussion of Blackstone and Lytle. 2000;119:1221-32
Jones TK (*see* Starnes et al). 2000;119:534-9
Juvonen T (*see* Anttila et al). 2000;119:1021-9

K

Kacey DJ (*see* Raftopoulos et al). 2000;119:1288 (Brief comm.)
Kadner A (*see* Chen et al). 2000;119:1216-20
Kadoi Y, Saito S. Balloon pump–induced pulsatile perfusion during cardiopulmonary bypass does not improve brain oxygenation. 2000;119:189-90 (Letter reply)
Kadoi Y, Saito S. A possible explanation for the failure to improve the internal jugular venous oxygen saturation with balloon pump–induced pulsatile perfusion. 2000;119:856-7 (Letter reply)
Kadoi Y, Saito S. Pulsatile perfusion during cardiopulmonary bypass. 2000;119:188 (Letter reply)
Kaemmerer H (*see* Balling et al). 2000;119:745-51
Kaili D (*see* Chocron et al). 2000;119:610-6
Kaiser L (*see* Deeb et al). 2000;119:622-3 (Brief comm.)
Kaiser LR. The academic surgeon and industry. 2000; 119:S29-32
Kalangos A, Trigo-Trindade P, Vala D, Panos A, Faidutti B. Aortic valve replacement with the Freestyle stentless bioprosthesis with respect to spacial orientation of patient coronary ostia. 2000;119:1185-92
Kalawski R, Deskur E, Bugajski P, Wysocki H, Siminiak T. Stimulation of neutrophil integrin expression during coronary artery bypass grafting: comparison of crystalloid and blood cardioplegia. 2000;119:1270-7
Kamio Y (*see* Suzuki et al). 2000;119:182-4 (Brief comm.)
Kangawa K (*see* Yoshihara et al). 2000;119:790-4
Karmy-Jones R (*see* Freeman et al). 2000;119:260-7
Karrison T (*see* Ferguson and Karrison). 2000;119:440-8
Karwande SV (*see* Bull et al). 2000;119:242-50
Karwande SV (*see* Stringham et al). 2000;119:1293-4 (Brief comm.)
Kashiwazaki S (*see* Hata et al). 2000;119:125-9
Katsumata T (*see* Westaby et al). 2000;119:132-7
Kawaguchi H (*see* Otani et al). 2000;119:998-1007
Kawasuji M, Sakakibara N, Fujii S, Yasuda T, Watanabe Y. Coronary artery bypass operation with arterial grafts in familial hypercholesterolemia. 2000;119:1008-13
Kazui T, Washiyama N, Muhammad BAH, Terada H, Yamashita K, Takinami M, Tamiya Y. Extended total arch replacement for acute type A aortic dissection: experience with seventy patients. 2000;119:558-65
Keenan HT, Thiagarajan R, Stephens KE, Williams G, Ramamoorthy C, Lupinetti FM. Pulmonary function after modified venovenous ultrafiltration in infants: a prospective, randomized trial. 2000;119:501-5
Kehm V (*see* Meisner et al). 2000;119:820-5
Keogh B (*see* Jahangiri et al). 2000;119:635 (Letter reply)
Kern JA (*see* Ross et al). 2000;119:588-95
Keshavjee S (*see* Fischer et al). 2000;119:488-92
Keung EC (*see* Ratcliffe et al). 2000;119:1194-204
Khabbaz KR (*see* Carpino et al). 2000;119:69-76
Khalil PN (*see* Daebritz et al). 2000;119:358-67
Khalil PN (*see* Stock et al). 2000;119:732-40
Khayat A (*see* Babatasi et al). 2000;119:906-12
Khayat A (*see* Massetti et al). 2000;119:784-9
Kido M (*see* Otani et al). 2000;119:998-1007
Kikuchi N (*see* Suma et al). 2000;119:1233-45
Killen DA, Weinstein CL, Reed WA. Reversal of spinal cord ischemia resulting from aortic dissection. 2000;119:1049-52 (Brief comm.)
Killingsworth CR (*see* Holman et al). 2000;119:1093-101
Kim E-J (*see* Li et al). 2000;119:62-8
Kim PK (*see* Weigel et al). 2000;119:795-803
Kimmel WA (*see* Svensson et al). 2000;119:163-6 (Brief comm.)
Kimose H-H (*see* Randsbaek et al). 2000;119:1030-8
Kimura S-I (*see* Hata et al). 2000;119:125-9
Kingsley CP (*see* Damiano et al). 2000;119:77-82
Kirchhefer U (*see* Meisner et al). 2000;119:820-5
Kishi A (*see* Yamamoto et al). 2000;119:939-45
Kitahara H (*see* Kono et al). 2000;119:101-7
Kitami A (*see* Suzuki et al). 2000;119:182-4 (Brief comm.)
Kitamura S (*see* Yoshihara et al). 2000;119:790-4
Kiviluoma K (*see* Anttila et al). 2000;119:1021-9
Kizner L (*see* El-Banayosy et al). 2000;119:581-7
Kizner L (*see* Körfer et al). 2000;119:596-600
Klatzmann D (*see* Braunberger et al). 2000;119:46-53
Klepetko W. Discussion of Huerd et al. 2000;119:458-65
Knapp J (*see* Meisner et al). 2000;119:820-5
Kneebone JM (*see* Starnes et al). 2000;119:534-9
Kobayashi J (*see* Yoshihara et al). 2000;119:790-4
Kobzik L (*see* Swanson et al). 2000;119:27-38
Koerfer R (*see* Minami et al). 2000;119:764-72
Koide N (*see* Kono et al). 2000;119:101-7
Koike T (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Komaki R (*see* Swisher et al). 2000;119:1126-34
Komeda M (*see* Timek et al). 2000;119:774-83
Kondo T (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Kono T, Koide N, Hama Y, Kitahara H, Nakano H, Suzuki J-I, Isobe M, Amano J. Expression of vascular endothelial growth factor and angiogenesis in cardiac myxoma: a study of fifteen patients. 2000;119:101-7
Körfer R, El-Banayosy A, Arusoglu L, Minami K, Körner MM, Kizner L, Fey O, Schütt U, Morshuis M, Posival H. Single-center experience with the Thoratec ventricular assist device. 2000;119:596-600
Körfer R (*see* El-Banayosy et al). 2000;119:581-7
Kormos RL (*see* Pham et al). 2000;119:673-81
Körner MM (*see* Körfer et al). 2000;119:596-600
Korom S (*see* Grimm et al). 2000;119:477-87
Korst R (*see* Downey et al). 2000;119:420-8
Kosakai Y (*see* Yoshihara et al). 2000;119:790-4
Koster A, Loche M, Hansen R, Bauer M, Mertzlufft F, Kuppe H, Hetzer R. A quick assay for monitoring r-hirudin during cardiopulmonary bypass in patients with heparin-induced thrombocytopenia type II: adaptation of the ecarin clotting time to the ACT II device. 2000;119:1278-83
Kouchoukos NT. Discussion of David et al. 2000;119:210-20
Kowatschev E (*see* Georgiadis et al). 2000;119:138-47
Krailo MD (*see* Shamberger et al). 2000;119:1154-61

Kreutzer C (*see* Schlichter et al). 2000;119:869-79
Kreutzer EA (*see* Schlichter et al). 2000;119:869-79
Kreutzer GO (*see* Schlichter et al). 2000;119:869-79
Kris MG (*see* Pisters et al). 2000;119:429-39
Kron IL. Getting funded. 2000;119:S26-8
Kron IL (*see* Ross et al). 2000;119:588-95
Kuhn K, Pasch S, Wojciechowski W, Macchiarini P. Combined sleeve lobectomy and Ivor Lewis esophagectomy for synchronous primary carcinoma of the lung and Barrett esophagus. 2000;119:1289-90 (Brief comm.)
Kuhne T (*see* Habicht et al). 2000;119:1286-7 (Brief comm.)
Kulick DM, Salerno CT, Dalmasso AP, Park SJ, Paz MG, Fodor WL, Bolman RM. Transgenic swine lungs expressing human CD59 are protected from injury in a pig-to-human model of xenotransplantation. 2000;119:690-9
Kulik TJ (*see* Mosca et al). 2000;119:1110-8
Kunzelman KS (*see* Grande-Allen et al). 2000;119:753-62
Kuppe H (*see* Koster et al). 2000;119:1278-83
Kuppe H (*see* Pasic et al). 2000;119:379-80 (Brief comm.)
Kurabayashi M (*see* Ogata et al). 2000;119:983-9
Kurlansky P. Discussion of Braunberger et al. 2000;119;46-52
Kurlansky P. Discussion of Reichenspurner et al. 2000;119:233-41
Kurusu Y (*see* Yamashita et al). 2000;119:899-905
Kutlu CA, Sayar A, Metin M. Complete resurrection: Yes or no? 2000;119:193 (Letter)

L

Lacour-Gayet F. Discussion of Schlichter et al. 2000;119:869-79
La Francesca S (*see* Monti et al). 2000;119:842-8
Laks H. Discussion of Marcelletti et al. 2000;119:340-6
Lambert LM (*see* Hawkins et al). 2000;119:324-30
Lamberti JJ. Discussion of de Leval et al. 2000;119:661-72
Lang P (*see* Daebritz et al). 2000;119:358-67
Langley SM, Chai PJ, Jaggers JJ, Ungerleider RM. The free radical spin trap α-phenyl-*tert*-butyl nitrone attenuates the cerebral response to deep hypothermic ischemia. 2000;119:305-13
Langley SM, Chai PJ, Tsui SS, Jaggers JJ, Ungerleider RM. The effects of a leukocyte-depleting filter on cerebral and renal recovery after deep hypothermic circulatory arrest. 2000;119:1262-9
Lankford EB (*see* Patel et al). 2000;119:834-41
Lapenna E (*see* De Bonis et al). 2000;119:575-80
LaQuaglia MP (*see* Shamberger et al). 2000;119:1154-61
Latini L (*see* Chocron et al). 2000;119:610-6
Laussen P (*see* Munoz et al). 2000;119:155-62
Laussen PC (*see* Munoz et al). 2000;119:891-8
Lautenschläger C (*see* Georgiadis et al). 2000;119:138-47
Law WR (*see* Fogelson et al). 2000;119:601-9
Le Page O (*see* Massetti et al). 2000;119:784-9
Lee RJ (*see* Ratcliffe et al). 2000;119:1194-204
Lefrak EA (*see* Allen et al). 2000;119:540-9
Leibundgut K (*see* Habicht et al). 2000;119:1286-7 (Brief comm.)
Leon L (*see* Downey et al). 2000;119:420-8
Leon L (*see* Rusch et al). 2000;119:1147-53
Leone R (*see* Picarelli et al). 2000;119:380-1 (Brief comm.)
Li J, Schultze-Neick I, Lincoln C, Shore D, Scallan M, Bush A, Redington AN, Penny DJ. Oxygen consumption after cardiopulmonary bypass surgery in children: determinants and implications. 2000;119:525-33
Li R-K, Weisel RD, Mickle DAG, Jia Z-Q, Kim E-J, Sakai T, Tomita S, Schwartz L, Iwanochko M, Husain M, Cusimano RJ, Burns RJ, Yau TM. Autologous porcine heart cell transplantation improved heart function after a myocardial infarction. 2000;119:62-8
Li R-K, Yau TM, Weisel RD, Mickle DAG, Sakai T, Choi A, Jia Z-Q. Construction of a bioengineered cardiac graft. 2000;119:368-75
Licker M (*see* de Perrot et al). 2000;119:21-6
Lien J (*see* Stock et al). 2000;119:732-40
Liman T (*see* Topçu et al). 2000;119:180-2 (Brief comm.)
Linck B (*see* Meisner et al). 2000;119:820-5
Lincoff AM (*see* Steinhubl et al). 2000;119:401 (Letter)
Lincoln C (*see* Jahangiri et al). 2000;119:635 (Letter reply)
Lincoln C (*see* Li et al). 2000;119:525-33
Lindemann G (*see* Grimm et al). 2000;119:477-87
Lindner A (*see* Georgiadis et al). 2000;119:138-47
Lindsay WG (*see* Oriaku et al). 2000;119:1102-9
Linehan D (*see* Downey et al). 2000;119:420-8
Liu M (*see* Fischer et al). 2000;119:488-92
Liu Y (*see* Sekine et al). 2000;119:1162-8
Lloyd CT, Ascione R, Underwood MJ, Gardner F, Black A, Angelini GD. Serum S-100 release and neuropsychologic outcome during coronary revascularization on the beating heart: a prospective randomized study. 2000;119:148-54
Loche M (*see* Koster et al). 2000;119:1278-83
Loop FD. Mentoring. 2000;119:S45-8
Loop FD (*see* Sabik et al). 2000;119:946-62
Lotze MT (*see* Weigel et al). 2000;119:795-803
Lowdermilk GA (*see* McBride et al). 2000;119:1015-20
Lukanich JM (*see* Swanson et al). 2000;119:27-38
Luketich JD (*see* Weigel et al). 2000;119:795-803
Lupinetti FM. Discussion of Langley et al. 2000;119:305-13
Lupinetti FM (*see* Keenan et al). 2000;119:501-5
Lupinetti FM (*see* Starnes et al). 2000;119:534-9
Lüss H (*see* Meisner et al). 2000;119:820-5
Lüss I (*see* Meisner et al). 2000;119:820-5
Lytle BW (*see* Blackstone and Lytle). 2000;119:1221-32
Lytle BW (*see* McDonald et al). 2000;119:1205-15
Lytle BW (*see* Medalion et al). 2000;119:963-74
Lytle BW (*see* Sabik et al). 2000;119:946-62

M

Macchiarini P, Verhoye J-P, Chapelier A, Fadel E, Dartevelle P. Evaluation and outcome of different surgical techniques for postintubation tracheoesophageal fistulas. 2000;119:268-76
Macchiarini P (*see* Babatasi et al). 2000;119:906-12
Macchiarini P (*see* Kuhn et al). 2000;119:1289-90 (Brief comm.)

Madrigal L (*see* Varela et al). 2000;119:402-3 (Letter)
Madsen JC (*see* Yamada et al). 2000;119:709-19
Maestro ML (*see* Cantero et al). 2000;119:1119-25
Mages P (*see* Grimm et al). 2000;119:477-87
Maggioni M (*see* Biglioli et al). 2000;119:376-9 (Brief comm.)
Mahoney DW (*see* El-Najdawi et al). 2000;119:880-6
Mäkiranta M (*see* Anttila et al). 2000;119:1021-9
Marcelletti CF, Hanley FL, Mavroudis C, McElhinney DB, Abella RF, Marianeschi SM, Seddio F, Reddy VM, Petrossian E, de la Torre T, Colagrande L, Backer CL, Cipriani A, Iorio FS, Fontan F. Revision of previous Fontan connections to total extracardiac cavopulmonary anastomosis: a multicenter experience. 2000; 119:340-6
March RJ. Discussion of Carpino et al. 2000;119:69-76
Margolis DS (*see* Svensson et al). 2000;119:163-6 (Brief comm.)
Marianeschi SM (*see* Marcelletti et al). 2000;119:340-6
Marino B (*see* Monti et al). 2000;119:842-8
Marotte F (*see* Scorsin et al). 2000;119:1169-75
Marshall B (*see* Orringer et al). 2000;119:277-88
Martin DP (*see* Stock et al). 2000;119:732-40
Martineau R (*see* Cartier et al). 2000;119:221-9
Massetti M, Babatasi G, Le Page O, Bhoyroo S, Saloux E, Khayat A. Postinfarction ventricular septal rupture: early repair through the right atrial approach. 2000;119:784-9
Massetti M (*see* Babatasi et al). 2000;119:906-12
Massoudy P, Zahler S, Freyholdt T, Henze R, Barankay A, Becker BF, Braun SL, Meisner H. Sodium nitroprusside in patients with compromised left ventricular dysfunction. 2000;119:566-74
Mathisen DJ. Discussion of Ferguson and Karrison. 2000;119:440-8
Matsumoto K (*see* Sekine et al). 2000;119:1162-8
Matsuo H (*see* Yoshihara et al). 2000;119:790-4
Matsuoka H (*see* Okada et al). 2000;119:814-9
Matsuura Y (*see* Orihashi et al). 2000;119:384-6 (Brief comm.)
Mault J (*see* Pisters et al). 2000;119:429-39
Mault JR (see Huerd et al). 2000;119:458-65
Mavroudis C (*see* Marcelletti et al). 2000;119:340-6
Mawulawde K (*see* Yamada et al). 2000;119:709-19
Mayer JE. Discussion of Marcelletti et al. 2000;119:340-6
Mayer JE (*see* Bacha et al). 2000;119:175-6 (Brief comm.)
Mayer JE (*see* Daebritz et al). 2000;119:358-67
Mayer JE (*see* Jahangiri et al). 2000;119:508-14
Mayer JE (*see* Stock et al). 2000;119:732-40
McBride LR, Lowdermilk GA, Fiore AC, Moroney DA, Brannan JA, Swartz MT. Transfer of patients receiving advanced mechanical circulatory support. 2000; 119:1015-20
McCarthy PM. Discussion of Suma et al. 2000;119:1233-45
McCarthy PM (*see* Sabik et al). 2000;119:946-62
McCrindle BW. Operation for partial atrioventricular septal defect: a 40-year review. 2000;119:889-90 (Commentary)
McCurry KR (*see* Pham et al). 2000;119:673-81
McDonald ML, Smedira NG, Blackstone EH, Grimm RA, Lytle BW, Cosgrove DM. Reduced survival in women after valve surgery for aortic regurgitation: impact of aortic enlargement and late aortic rupture. 2000; 119:1205-15
McDonald ML (*see* Tector and McDonald). 2000;119:1014 (Commentary)
McElhinney DB, Hoydu AK, Chin AJ, Weinberg PM. Right-sided aortic arch with bilateral ductus: a rare case of non-confluent pulmonary arteries without associated cardiac anomalies. 2000;119:849-51 (Brief comm.)
McElhinney DB, Paridon S, Spray TL. Aortopulmonary window associated with complete atrioventricular septal defect. 2000;119:1284-5 (Brief comm.)
McElhinney DB (*see* Marcelletti et al). 2000;119:340-6
McGaurn SA (*see* Clancy et al). 2000;119:347-57
McGough EC (*see* Hawkins et al). 2000;119:324-30
McGregor CGA (*see* Pellegrini et al). 2000;119:493-500
McKee C (*see* Swanson et al). 2000;119:27-38
McNamara JL (*see* Pearl et al). 2000;119:931-8
Medalion B, Blackstone EH, Lytle BW, White J, Arnold JH, Cosgrove DM. Aortic valve replacement: Is valve size important? 2000;119:963-74
Meisner A, Lüss I, Rolf N, Boknik P, Kirchhefer U, Kehm V, Knapp J, Linck B, Lüss H, Müller F, Weber T, Schmitz W, Van Aken H, Neumann J. The early response genes *c-jun* and HSP-70 are induced in regional cardiac stunning in conscious mammals. 2000;119:820-5
Meisner H (*see* Balling et al). 2000;119:745-51
Meisner H (*see* Massoudy et al). 2000;119:566-74
Melnick S (*see* Holman et al). 2000;119:1093-101
Menard MT (*see* Yamada et al). 2000;119:709-19
Menasché P (*see* Scorsin et al). 2000;119:1169-75
Mentzer SJ. Discussion of Downey et al. 2000;119:420-8
Mentzer SJ (*see* Swanson et al). 2000;119:27-38
Merigliano S, Molena D, Ruol A, Zaninotto G, Cagol M, Scappin S, Ancona E. Chylothorax complicating esophagectomy for cancer: a plea for early thoracic duct ligation. 2000;119:453-7
Merrill W (*see* Roberts et al). 2000;119:449-52
Merriman KW (*see* Swisher et al). 2000;119:1126-34
Mertzlufft F (*see* Koster et al). 2000;119:1278-83
Mesana TG. Discussion of El-Banayosy et al. 2000;119:581-7
Metin M (*see* Kutlu et al). 2000;119:193 (Letter)
Meyers BF. Discussion of Suda et al. 2000;119:297-304
Meyers PA (*see* Shamberger et al). 2000;119:1154-61
Mickle DA (*see* Li et al). 2000;119:62-8
Mickle DAG (*see* Li et al). 2000;119:368-75
Mickleborough LL, Carson S, Tamariz M, Ivanov J. Results of revascularization in patients with severe left ventricular dysfunction. 2000;119:550-7
Millar KJ, Anderson P, South M. Pulmonary surfactant and cardiopulmonary bypass in infants. 2000;119:192 (Letter)
Miller DC (*see* Timek et al). 2000;119:774-83
Miller VM (*see* Pellegrini et al). 2000;119:493-500
Minami K, Fukahara K, Boethig D, Bairaktaris A, Fritzsche

D, Koerfer R. Long-term results of simultaneous carotid endarterectomy and myocardial revascularization with cardiopulmonary bypass used for both procedures. 2000;119:764-72
Minami K (*see* El-Banayosy et al). 2000;119:581-7
Minami K (*see* Körfer et al). 2000;119:596-600
Miser JS (*see* Shamberger et al). 2000;119:1154-61
Mitchell MB (*see* Huerd et al). 2000;119:458-65
Mitchell RN (*see* Chen et al). 2000;119:1216-20
Miyamoto K-J (*see* Miyamoto and Miyamoto). 2000; 119:631-2 (Letter)
Miyamoto K-J (*see* Miyamoto and Miyamoto). 2000; 119:855-6 (Letter)
Miyamoto T-A, Miyamoto K-J. Alternate explanation of the additive protective effects of regional infusion of hypothermic saline and adenosine solutions. 2000; 119:631-2 (Letter)
Miyamoto T-A, Miyamoto K-J. A possible explanation for the failure to improve the internal jugular venous oxygen saturation with balloon pump-induced pulsatile perfusion. 2000;119:855-6 (Letter)
Miyamoto Y (*see* Okada et al). 2000;119:814-9
Mohanakumar T (*see* Reznik et al). 2000;119:39-45
Mohanakumar T (*see* Suda et al). 2000;119:297-304
Mohr FW. Discussion of Medalion et al. 2000;119:963-74
Møldrup U (*see* Randsbaek et al). 2000;119:1030-8
Molena D (*see* Merigliano et al). 2000;119:453-7
Monti F, Iwashiro K, Picard S, Criniti A, La Francesca S, Ruvolo G, Papalia U, Campa PP, Marino B, Puddi PE. Adenosine triphosphate–dependent potassium channel modulation and cardioplegia-induced protection of human atrial muscle in an in vitro model of myocardial stunning. 2000;119:842-8
Moon M (*see* Ariano et al). 2000;119:167-8 (Brief comm.)
Moon MR (*see* Barlow et al). 2000;119:466-76
Moore SA (*see* Steinhubl et al). 2000;119:401 (Letter)
Mora BN, Boasquevisque HR, Boglione M, Ritter JM, Scheule RK, Yew NS, Debruyne L, Qin L, Bromberg JS, Patterson GA. Transforming growth factor β-1 gene transfer ameliorates acute lung allograft rejection. 2000;119:913-20
Mora BN (*see* Suda et al). 2000;119:297-304
Morales DLS, Catnaese KA, Helman DN, Williams MR, Weinberg DJ, Goldstein EA, Rose EA, Oz MC. Six-year experience of caring for forty-four patients with a left ventricular assist device at home: safe, economical, necessary. 2000;119:251-9
Moran A (*see* Stock et al). 2000;119:732-40
Morishita Y (*see* Ogata et al). 2000;119:983-9
Moriyama Y, Iguro Y, Yotsumoto G, Watanabe S, Yamamoto H. Endovascular stent-graft repair with a flexible stent-graft and a simple applicator prepared from a syringe. 2000;119:620-1 (Brief comm.)
Moroney DA (*see* McBride et al). 2000;119:1015-20
Morshuis M (*see* Körfer et al). 2000;119:596-600
Morton DL (*see* Essner et al). 2000;119:10-20
Mosca RS, Kulik TJ, Goldberg CS, Vermilion RP, Charpie JR, Crowley DC, Bove EL. Early results of the Fontan procedure in one hundred consecutive patients with hypoplastic left heart syndrome. 2000;119:1110-8
Moscato U (*see* De Bonis et al). 2000;119:575-80
Moskowitz AJ (*see* Williams et al). 2000;119:720-31
Mostovych M (*see* Allen et al). 2000;119:540-9
Muhammad BAH (*see* Kazui et al). 2000;119:558-65
Müller F (*see* Meisner et al). 2000;119:820-5
Munoz R, Laussen PC, Palacio G, Zeinko L, Piercey G, Wessel DL. Changes in whole blood lactate levels during cardiopulmonary bypass surgery for congenital cardiac disease: an early indicator of morbidity and mortality. 2000;119:155-62
Munoz R, Laussen PC, Palacio G, Zienko L, Piercey G, Wessel DL. Whole blood ionized magnesium: age-related differences in normal values and clinical implications of ionized hypomagnesemia in patients undergoing congenital cardiac surgery. 2000;119:891-8
Murphy JD (*see* Clancy et al). 2000;119:347-57
Murphy RE (*see* Carpino et al). 2000;119:69-76
Murthy S (*see* Temes et al). 2000;119:1298 (Letter)
Muscolino G, Bedini AV, Buffa PF. Leiomyosarcoma of the bronchus: report of two cases of resection with long-term follow-up. 2000;119:853-4 (Brief comm.)
Myers JL. Discussion of Williams et al. 2000;119:720-31

N

Nadolny E (*see* Svensson et al). 2000;119:163-6 (Brief comm.)
Nagai K (*see* Takamochi et al). 2000;119:1135-40
Nagai R (*see* Ogata et al). 2000;119:983-9
Nagashima M (*see* Stock et al). 2000;119:732-40
Najm HK, Wallen WJ, Belanger MP, Williams WG, Coles JG, Van Arsdell GS, Black MD, Boutin C, Wittnich C. Does the degree of cyanosis affect myocardial adenosine triphosphate levels and function in children undergoing surgical procedures for congenital heart disease? 2000;119:515-24
Nakamura T (*see* Sekine et al). 2000;119:1162-8
Nakano H (*see* Kono et al). 2000;119:101-7
Navia JA (*see* Reichenspurner et al). 2000;119:233-41
Nawas SI (*see* Fogelson et al). 2000;119:601-9
Negishi N (*see* Hata et al). 2000;119:125-9
Nelson DP (*see* Pearl et al). 2000;119:931-8
Nelson R (see Bull et al). 2000;119:242-50
Nemoto EM (*see* Pigula et al). 2000;119:331-9
Neri E, Sassi C. Notes about axillary cannulation. 2000; 119:1298 (Letter)
Neumann J (*see* Meisner et al). 2000;119:820-5
Neumayer LA (*see* Bull et al). 2000;119:242-50
Ng JH (*see* Williams et al). 2000;119:720-31
Nguyen DM. Discussion of Reznik et al. 2000;119:39-45
Nguyen DM. Discussion of Weigel et al. 2000; 119:795-803
Nguyen T (*see* Essner et al). 2000;119:10-20
Nicholson IA, Chard RB, Nunn GR, Cartmill TB. Transcaval repair of the sinus venosus syndrome. 2000;119:741-4
Nielsen TT (*see* Randsbaek et al). 2000;119:1030-8

Nimer KA (*see* Oakley et al). 2000;119:190-1 (Letter)
Ninomiya H (*see* Otani et al). 2000;119:998-1007
Nishikimi T (*see* Yoshihara et al). 2000;119:790-4
Nishimura M (*see* Takamochi et al). 2000;119:1135-40
Nishiwaki Y (*see* Takamochi et al). 2000;119:1135-40
Nistal JF (*see* Timek et al). 2000;119:774-83
Niu W (*see* Chien et al). 2000;119:921-30
Noetzold A (*see* Schmidtke et al). 2000;119:990-7
Nollert GD (*see* Stock et al). 2000;119:732-40
Nollert GDA (*see* Daebritz et al). 2000;119:358-67
Norwood WI. Discussion of Daebritz et al. 2000;119:358-67
Norwood WI (*see* Clancy et al). 2000;119:347-57
Nozar J (*see* Picarelli et al). 2000;119:380-1 (Brief comm.)
Nozawa H (*see* Ohta et al). 2000;119:804-13
Nunn GR (*see* Nicholson et al). 2000;119:741-4

O

Oakley RE, Nimer KA, Bukhari E. Is the use of topical vancomycin to prevent mediastinitis after cardiac surgery justified? 2000;119:190-1 (Letter)
O'Brien T (*see* Pellegrini et al). 2000;119:493-500
Oda M (*see* Ohta et al). 2000;119:804-13
Odoux C (*see* Weigel et al). 2000;119:795-803
Ogata T, Kurabayashi M, Hoshino Y, Sekiguchi K, Ishikawa S, Morishita Y, Nagai R. Inducible expression of basic transcription element-binding protein 2 in proliferating smooth muscle cells at the vascular anastomotic stricture. 2000;119:983-9
Ogawa M (*see* Yamashita et al). 2000;119:899-905
Ohde Y (*see* Takamochi et al). 2000;119:1135-40
Ohe T (*see* Yoshihara et al). 2000;119:790-4
Ohkuma S (*see* Otani et al). 2000;119:998-1007
Ohmiya H (*see* Otani et al). 2000;119:998-1007
Ohta T (*see* Otani et al). 2000;119:998-1007
Ohta Y, Nozawa H, Tanaka Y, Oda M, Watanabe Y. Increased vascular endothelial growth factor and vascular endothelial growth factor-C and decreased nm23 expression associated with microdissemination in the lymph nodes in stage I non–small cell lung cancer. 2000;119:804-13
Okada K (*see* Orihashi et al). 2000;119:384-6 (Brief comm.)
Okada M, Yamagishi H, Satake S, Matsuoka H, Miyamoto Y, Yoshimura M, Tsubota N. Survival related to lymph node involvement in lung cancer after sleeve lobectomy compared with pneumonectomy. 2000;119:814-9
Okumura H (*see* Hata et al). 2000;119:125-9
Omran A (*see* David et al). 2000;119:210-20
Oriaku G, Xiang B, Dai G, Shen J, Sun J, Lindsay WG, Deslauriers R, Tian G. Effects of retrograde cardioplegia on myocardial perfusion and energy metabolism in immature porcine myocardium. 2000;119:1102-9
Orihashi K, Matsuura Y, Sueda T, Watari M, Okada K. Reversible visceral ischemia detected by transesophageal echocardiography and near-infrared spectroscopy. 2000;119:384-6 (Brief comm.)
Orime Y (*see* Hata et al). 2000;119:125-9
Orringer MB, Marshall B, Iannettoni MD. Eliminating the cervical esophagogastric anastomotic leak with a side-to-side stapled anastomosis. 2000;119:277-88
Orringer MB. Discussion of Downey et al. 2000;119:420-8
Osako M (*see* Otani et al). 2000;119:998-1007
Otani H, Ohmiya H, Hattori R, Fujii H, Ninomiya H, Kido M, Kawaguchi H, Osako M, Imamura H, Ohta T, Ohkuma S. Potential role of vacuolar H^+-adenosine triphosphatase in neointimal formation in cultured human saphenous vein. 2000;119:998-1007
Oury JH. Discussion of David et al. 2000;119:210-20
Owens DJ (*see* Starnes et al). 2000;119:534-9
Oz MC. Discussion of Suma et al. 2000;119:1233-45
Oz MC (*see* Morales et al). 2000;119:251-9
Özdülger A (*see* Topçu et al). 2000;119:180-2 (Brief comm.)

P

Pagni S, Austin EH. Use of intravenous methylene blue for the treatment of refractory hypotension after cardiopulmonary bypass. 2000;119:1297 (Letter)
Palacio G (*see* Munoz et al). 2000;119:155-62
Palacio G (*see* Munoz et al). 2000;119:891-8
Panos A (*see* Kalangos et al). 2000;119:1185-92
Papalia U (*see* Monti et al). 2000;119:842-8
Parakh KR (*see* Rusch et al). 2000;119:1147-53
Paridon S (*see* McElhinney et al). 2000;119:1284-5 (Brief comm.)
Park SJ (*see* Kulick et al). 2000;119:690-9
Parolari A (*see* Biglioli et al). 2000;119:376-9 (Brief comm.)
Pasch S (*see* Kuhn et al). 2000;119:1289-90 (Brief comm.)
Pasic M, Potapov E, Kuppe H, Hetzer R. Prolonged cardiopulmonary bypass for severe drug intoxication. 2000;119:379-80 (Brief comm.)
Pass HI. Discussion of Mora et al. 2000;119:913-20
Passweg J (*see* Habicht et al). 2000;119:1286-7 (Brief comm.)
Patel HJ, Pilla JJ, Polidori DJ, Pusca SV, Plappert TA, Sutton MSJ, Lankford EB, Acker MA. Ten weeks of rapid ventricular pacing creates a long-term model of left ventricular dysfunction. 2000;119:834-41
Patterson GA, Campbell DB. Clinical-pathologic conference in thoracic surgery: Masaoka stage 2-A thymoma. 2000;119:624-9
Patterson GA. Discussion of Barlow et al. 2000;119:466-76
Patterson GA (*see* Mora et al). 2000;119:913-20
Patterson GA (*see* Reznik et al). 2000;119:39-45
Patterson GA (*see* Suda et al). 2000;119:297-304
Paul DA, Greenspan JS, Davis DA, Russo P, Antunes MJ. Pulmonary surfactant and cardiopulmonary bypass in infants. 2000;119:192-3 (Letter reply)
Payne DD (*see* Carpino et al). 2000;119:69-76
Paz MG (*see* Kulick et al). 2000;119:690-9
Pearl JM, Nelson DP, Wellmann SA, Raake JL, Wagner CJ, McNamara JL, Duffy JY. Acute hypoxia and reoxygenation impairs exhaled nitric oxide release and pulmonary mechanics. 2000;119:931-8

Pekow PS (*see* Engelman et al). 2000;119:230-2
Pellegrini C, Jeppsson A, Taner CB, O'Brien T, Miller VM, Tazelaar HD, McGregor CGA. Highly efficient ex vivo gene transfer to the transplanted heart by means of hypothermic perfusion with a low dose of adenoviral vector. 2000;119:493-500
Pelletier M. Discussion of Aziz et al. 2000;119:700-8
Pelletier MP (*see* Tchervenkov et al). 2000;119:314-23
Peluffo C (*see* Picarelli et al). 2000;119:380-1 (Brief comm.)
Penney DL (*see* Svensson et al). 2000;119:163-6 (Brief comm.)
Penny DJ (*see* Li et al). 2000;119:525-33
Perry S (*see* Bacha et al). 2000;119:175-6 (Brief comm.)
Petrossian E (*see* Marcelletti et al). 2000;119:340-6
Pfeffer TA (*see* Allen et al). 2000;119:540-9
Pham SM, Rao AS, Zeevi A, Kormos RL, McCurry KR, Hattler BG, Fung JJ, Starzl TE, Griffith BP. A clinical trial combining donor bone marrow infusion and heart transplantation: intermediate-term results. 2000;119:673-81
Picard S (*see* Monti et al). 2000;119:842-8
Picarelli D, Surraco J, Zúñiga C, Peluffo C, Anzibar R, Tambasco J, Leone R, Nozar J, Duhagon P. Surgical management of active infective endocarditis in a premature neonate weighing 950 grams. 2000;119:380-1 (Brief comm.)
Piercey G (*see* Munoz et al). 2000;119:155-62
Piercey G (*see* Munoz et al). 2000;119:891-8
Pigula F. Discussion of Langley et al. 2000;119:305-13
Pigula FA, Nemoto EM, Griffith BP, Siewers RD. Regional low-flow perfusion provides cerebral circulatory support during neonatal aortic arch reconstruction. 2000;119:331-9
Pilla JJ (*see* Patel et al). 2000;119:834-41
Pisters KMW, Ginsberg RJ, Giroux DJ, Putman JB, Kris MG, Johnson DH, Roberts JR, Mault J, Crowley JJ, Bunn PA, Biomodality Lung Oncology Team (BLOT). Induction chemotherapy before surgery for early-stage lung cancer: a novel approach. 2000;119:429-39
Pitlick PT (*see* Rodefeld et al). 2000;119:851-3 (Brief comm.)
Plappert TA (*see* Patel et al). 2000;119:834-41
Pleet AB (see Engelman et al). 2000;119:230-2
Podbielski FJ (*see* Raftopoulos et al). 2000;119:1288 (Brief comm.)
Pokela M (*see* Anttila et al). 2000;119:1021-9
Polidori DJ (*see* Patel et al). 2000;119:834-41
Posival H (*see* Körfer et al). 2000;119:596-600
Possati GF (*see* De Bonis et al). 2000;119:575-80
Potapov E (*see* Pasic et al). 2000;119:379-80 (Brief comm.)
Potthoff M (*see* Grimm et al). 2000;119:477-87
Poullis M. Abciximab (ReoPro) removal during cardiopulmonary bypass with a hemoconcentrator. 2000;119:401-2 (Letter reply)
Poullis M. Vasodilatation after cardiac surgery. 2000;119:857 (Letter)
Prentice MB (*see* James et al). 2000;119:171-2 (Brief comm.)
Prêtre R, Turina MI. Relief of bronchial compression caused by a congenital heart defect by remodeling of the aortic arch. 2000;119:173-4 (Brief comm.)
Pritchard DJ (*see* Shamberger et al). 2000;119:1154-61
Profaizer T (*see* Hawkins et al). 2000;119:324-30
Puddi PE (*see* Monti et al). 2000;119:842-8
Puga FJ (*see* El-Najdawi et al). 2000;119:880-6
Pugliese F (*see* Venuta et al). 2000;119:682-9
Pusca SV (*see* Patel et al). 2000;119:834-41
Putman JB (*see* Pisters et al). 2000;119:429-39
Putnam JB (*see* Swisher et al). 2000;119:1126-34

Q

Qin L (*see* Mora et al). 2000;119:913-20
Quaegebeur JM (*see* Williams et al). 2000;119:720-31

R

Raake JL (*see* Pearl et al). 2000;119:931-8
Raftopoulos Y, Furey WW, Kacey DJ, Podbielski FJ. Tumor implantation after computed tomography–guided biopsy of lung cancer. 2000;119:1288 (Brief comm.)
Ramamoorthy C (*see* Keenan et al). 2000;119:501-5
Randsbaek F, Kimose H-H, Bjerre T, Møldrup U, Bøtker HE, Nielsen TT. Captopril-induced glutamate release at the start of reperfusion after cold cardioplegic storage of pig hearts. 2000;119:1030-8
Rao AS (*see* Pham et al). 2000;119:673-81
Rao V, Borger MA, Weisel RD, Ivanov J, Christakis GT, Cohen G, Yau TM. Insulin cardioplegia for elective coronary bypass surgery. 2000;119:1176-84
Rappaport L (*see* Scorsin et al). 2000;119:1169-75
Rastegar H (*see* Carpino et al). 2000;119:69-76
Ratcliffe MB, Wallace AW, Salahieh A, Hong J, Ruch S, Hall TS. Ventricular volume, chamber stiffness, and function after anteroapical aneurysm plication in the sheep. 2000;119:115-24
Ratcliffe MB, Wallace AW, Teerlilnk JR, Hong J, Salahich A, Sung S-H, Keung EC, Lee RJ. Radio frequency heating of chronic ovine myocardial infarct leads to sustained infarct area and ventricular volume reduction. 2000;119:1194-204
Raynal-Raschilas N (*see* Braunberger et al). 2000;119:46-53
Realyvasques F (*see* Allen et al). 2000;119:540-9
Reardon M. Discussion of Morales et al. 2000;119:251-9
Reason JT (*see* de Leval et al). 2000;119:661-72
Reddy VM. Discussion of Jahangiri et al. 2000;119:508-14
Reddy VM (*see* Marcelletti et al). 2000;119:340-6
Redington AN (*see* Li et al). 2000;119:525-33
Reed M. Discussion of Freeman et al. 2000;119:260-7
Reed WA (*see* Killen et al). 2000;119:1049-52 (Brief comm.)

Reichart B (*see* Reichenspurner et al). 2000;119:233-41
Reichenspurner H, Navia JA, Berry G, Robbins RC, Barbut D, Gold JP, Reichart B. Particulate emboli capture by an intra-aortic filter device during cardiac surgery. 2000;119:233-41
Reid BB (*see* Bull et al). 2000;119:242-50
Reilly JJ (*see* Swanson et al). 2000;119:27-38
Reinhall PG (*see* Grande-Allen et al). 2000;119:753-62
Reitz B. Discussion of Morales et al. 2000;119:251-9
Reitz BA (*see* Barlow et al). 2000;119:466-76
Rendina EA (*see* Venuta et al). 2000;119:682-9
Reppen ML (*see* Trick et al). 2000;119:108-14
Reznik SI, Jaramillo A, Zhang L, Patterson GA, Cooper JD, Mohanakumar T. Anti-HLA antibody binding to HLA class I molecules induces proliferation of airway epithelial cells: a potential mechanism for bronchiolitis obliterans syndrome. 2000;119:39-45
Rice TW (*see* Temes et al). 2000;119:1298 (Letter)
Ritter JM (*see* Mora et al). 2000;119:913-20
Rizzo RJ. Discussion of McDonald et al. 2000;119:1205-15
Robbins R. Discussion of Bull et al. 2000;119:242-50
Robbins RC (*see* Barlow et al). 2000;119:466-76
Robbins RC (*see* Reichenspurner et al). 2000;119:233-41
Robert J (*see* de Perrot et al). 2000;119:21-6
Roberto M (*see* Biglioli et al). 2000;119:376-9 (Brief comm.)
Roberts JR, Shyr Y, Christian KR, Drinkwater D, Merrill W. Preemptive gastrointestinal tract management reduces aspiration and respiratory failure after thoracic operations. 2000;119:449-52
Roberts JR (*see* Pisters et al). 2000;119:429-39
Rocca GD (*see* Venuta et al). 2000;119:682-9
Roda J (*see* Varela et al). 2000;119:402-3 (Letter)
Rodefeld MD, Wile FD, Whyte RI, Pitlick PT, Black MD. Pulmonary vascular compromise in a child with post-pneumonectomy syndrome. 2000;119:851-3 (Brief comm.)
Rodriguez RA, Cornel G, Austin EH, Auden SM, Weerasena NA. Brain function monitoring during bidirectional Glenn procedures. 2000;119:617-9 (Brief comm.)
Rodriguez RA, Weerasena NA, Cornel G. Should the bidirectional Glenn procedure be better performed through the support of cardiopulmonary bypass? 2000;119:634-5 (Letter)
Rogers JM (*see* Holman et al). 2000;119:1093-101
Rohlicek C (*see* Tchervenkov et al). 2000;119:314-23
Rolf N (*see* Meisner et al). 2000;119:820-5
Román MI (*see* Schlichter et al). 2000;119:869-79
Rose EA (*see* Morales et al). 2000;119:251-9
Rosenthal GL (*see* Starnes et al). 2000;119:534-9
Ross DB (*see* Baskett and Ross et al). 2000;119:178-80 (Brief comm.)
Ross DN. Discussion of David et al. 2000;119:210-20
Ross SD, Kern JA, Gangemi JJ, St Laurent CR, Shockey KS, Kron IL, Tribble CG. Hypothermic retrograde venous perfusion with adenosine cools the spinal cord and reduces the risk of paraplegia after thoracic aortic clamping. 2000;119:588-95
Roszkiewicz A (*see* Jassem et al). 2000;119:1141-6
Roth JA (*see* Swisher et al). 2000;119:1126-34
Rousou JA (*see* Engelman et al). 2000;119:230-2
Ruch S (*see* Ratcliffe et al). 2000;119:115-24
Ruol A (*see* Merigliano et al). 2000;119:453-7
Rusch V (*see* Downey et al). 2000;119:420-8
Rusch VW, Parakh KR, Leon L, Venkatraman E, Bains MS, Downey RJ, Boland P, Bilsky M, Ginsberg RJ. Factors determining outcome after surgical resection of T3 and T4 lung cancers of the superior sulcus. 2000;119:1147-53
Rusch VW. Discussion of Essner et al. 2000;119:10-20
Rusch VW. Discussion of Kulick et al. 2000;119:690-9
Rusch VW. Discussion of Reznik et al. 2000;119:39-45
Rusch VW. Discussion of Roberts et al. 2000;119:449-52
Russo P (*see* Paul et al). 2000;119:192-3 (Letter reply)
Ruvolo G (*see* Monti et al). 2000;119:842-8
Rzyman W (*see* Jassem et al). 2000;119:1141-6

S

Saatvedt K (*see* Westaby et al). 2000;119:132-7
Sabik JF, Lytle BW, Blackstone EH, McCarthy PM, Loop FD, Cosgrove DM. Long-term effectiveness of operations for ascending aortic dissections. 2000;119:946-62
Sabiston DC (*see* Atkins et al). 2000;119:1246-54
Sachs DH (*see* Yamada et al). 2000;119:709-19
Sader AA. Esophagectomy with gastric reconstruction for achalasia. 2000;119:194-5 (Letter)
Safi HJ. Discussion of Reichenspurner et al. 2000;119:233-41
Safi HJ. Discussion of Ross et al. 2000;119:588-95
Sagawa M (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Saisyoji T (see Yamashita et al). 2000;119:899-905
Saito S (*see* Kadoi and Saito). 2000;119:188 (Letter reply)
Saito S (*see* Kadoi and Saito). 2000;119:189-90 (Letter reply)
Saito S (*see* Kadoi and Saito). 2000;119:856-7 (Letter reply)
Sakai T (*see* Li et al). 2000;119:62-8
Sakai T (*see* Li et al). 2000;119:368-75
Sakakibara N (*see* Kawasuji et al). 2000;119:1008-13
Sakurada A (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Salahieh A (*see* Ratcliffe et al). 2000;119:115-24
Salahieh A (*see* Ratcliffe et al). 2000;119:1194-204
Salerno CT (*see* Kulick et al). 2000;119:690-9
Saloux E (*see* Massetti et al). 2000;119:784-9
Samuel J-L (*see* Scorsin et al). 2000;119:1169-75
Samy RN (*see* Atkins et al). 2000;119:1246-54
Santarelli F (*see* De Bonis et al). 2000;119:575-80
Sanz MT (*see* Cantero et al). 2000;119:1119-25
Sarsam MAI. Preimplantation retrograde pneumoplegia in clinical lung transplantation. 2000;119:635-6 (Letter)
Sasako Y (*see* Yoshihara et al). 2000;119:790-4
Sassi C (*see* Neri and Sassi). 2000;119:1298 (Letter)
Satake S (*see* Okada et al). 2000;119:814-9
Sato M, Koike T, Yokoi K, Tada H, Sagawa M, Sakurada A, Tanita T, Kondo T, Fujimura S, Tsuchiya R. Second operation for upper mediastinal lymphadenopathy after complete resection for left lung cancer. 2000;119:1291-2 (Brief comm.)
Sato T (*see* Suma et al). 2000;119:1233-45
Sauer H (*see* Cox et al). 2000;119:1255-61

Savage EB. Discussion of El-Banayosy et al. 2000;119:581-7
Sawa Y. Discussion of Li et al. 2000;119:368-75
Sayar A (*see* Kutlu et al). 2000;119:193 (Letter)
Scallan M (*see* Li et al). 2000;119:525-33
Scappin S (*see* Merigliano et al). 2000;119:453-7
Scheckler WE (*see* Trick et al). 2000;119:108-14
Scheule RK (*see* Mora et al). 2000;119:913-20
Schiavello R (*see* De Bonis et al). 2000;119:575-80
Schlichter AJ, Kreutzer C, de Cassia Mayorquim R, Simon JL, Román MI, Vazquez H, Kreutzer EA, Kreutzer GO. Five- to fifteen-year follow-up of fresh autologous pericardial valved conduits. 2000;119:869-79
Schmidtke C, Bechtel JFM, Hueppe M, Noetzold A, Sievers H-H. Size and distensibility of the aortic root and aortic valve function after different techniques of the Ross procedure. 2000;119:990-7
Schmitz W (*see* Meisner et al). 2000;119:820-5
Schoen FJ (*see* Stock et al). 2000;119:732-40
Schuch D (*see* Allen et al). 2000;119:540-9
Schulte-Mattler W (*see* Georgiadis et al). 2000;119:138-47
Schultze-Neick I (*see* Li et al). 2000;119:525-33
Schütt U (*see* Körfer et al). 2000;119:596-600
Schwartz K (*see* Scorsin et al). 2000;119:1169-75
Schwartz L (*see* Li et al). 2000;119:62-8
Scorsin M, Hagège A, Vilquin J-T, Fiszman M, Marotte F, Samuel J-L, Rappaport L, Schwartz K, Menasché P. Comparison of the effects of fetal cardiomyocyte and skeletal myoblast transplantation on postinfarction left ventricular function. 2000;119:1169-75
Seddio F (*see* Marcelletti et al). 2000;119:340-6
Sekiguchi K (*see* Ogata et al). 2000;119:983-9
Sekine T, Nakamura T, Matsumoto K, Liu Y, Ueda H, Tamura N, Shimizu Y. Carinal reconstruction with a Y-shaped collagen-conjugated prosthesis. 2000;119:1162-8
Sezai A (*see* Hata et al). 2000;119:125-9
Sezai Y (*see* Hata et al). 2000;119:125-9
Shaar CJ (*see* Allen et al). 2000;119:540-9
Shaddy RE (*see* Hawkins et al). 2000;119:324-30
Shah AS (*see* Atkins et al). 2000;119:1246-54
Shahian DM (*see* Svensson et al). 2000;119:163-6 (Brief comm.)
Shamberger RC, LaQuaglia MP, Krailo MD, Miser JS, Pritchard DJ, Gebhardt MC, Healey JH, Tarbell NJ, Fryer JH, Meyers PA, Grier HE. Ewing sarcoma of the rib: results of an intergroup study with analysis of outcome by timing of resection. 2000;119:1154-61
Shen J (*see* Oriaku et al). 2000;119:1102-9
Shimizu A (*see* Yamada et al). 2000;119:709-19
Shimizu Y (*see* Sekine et al). 2000;119:1162-8
Shinebourne EA (*see* Jahangiri et al). 2000;119:635 (Letter reply)
Shiono M (*see* Hata et al). 2000;119:125-9
Shockey KS (*see* Ross et al). 2000;119:588-95
Shore D (*see* Li et al). 2000;119:525-33
Shrager JB (*see* Deeb et al). 2000;119:622-3 (Brief comm.)
Shroyer AL (*see* Glover and Shroyer). 2000;119:S11-21
Shum-Tim D (*see* Tchervenkov et al). 2000;119:314-23
Shyr Y (*see* Roberts et al). 2000;119:449-52
Sievers H-H (*see* Schmidtke et al). 2000;119:990-7
Siewers RD (*see* Pigula et al). 2000;119:331-9
Silvestry SC (*see* Atkins et al). 2000;119:1246-54
Siminiak T (*see* Kalawski et al). 2000;119:1270-7
Simon JL (*see* Schlichter et al). 2000;119:869-79
Skinner JL (*see* Holman et al). 2000;119:1093-101
Skokowski J (*see* Jassem et al). 2000;119:1141-6
Slisz JK (*see* Yamada et al). 2000;119:709-19
Smedira NG (*see* McDonald et al). 2000;119:1205-15
Smith AJ (*see* Guzman et al). 2000;119:382-3 (Brief comm.)
Smith CR. Discussion of Allen et al. 2000;119:540-9
Smith EM (*see* Trick et al). 2000;119:108-14
Smythe R (*see* Swisher et al). 2000;119:1126-34
Solymar L, Südow G, Holmgren D. Increase in size of the pulmonary autograft after the Ross operation in children: Growth or dilation? 2000;119:4-9
Sonnenberg B (*see* David et al). 2000;119:210-20
Souba WW. The core of leadership. 2000;119:414-9 (Editorial)
South M (*see* Millar et al). 2000;119:192 (Letter)
Sperling JS (*see* Stock et al). 2000;119:732-40
Spiliopoulos A (*see* de Perrot et al). 2000;119:21-6
Spinale FG (*see* Walker et al). 2000;119:388-400
Spirito R (*see* Biglioli et al). 2000;119:376-9 (Brief comm.)
Spotnitz HM. Macro design, structure, and mechanics of the left ventricle. 2000;119:1053-77
Spotts BE (*see* El-Najdawi et al). 2000;119:880-6
Spray TL (*see* Clancy et al). 2000;119:347-57
Spray TL (*see* McElhinney et al). 2000;119:1284-5 (Brief comm.)
St Laurent CR (*see* Ross et al). 2000;119:588-95
Starnes SL, Duncan BW, Kneebone JM, Rosenthal GL, Jones TK, Grifka RG, Cecchin F, Owens DJ, Fearneyhough C, Lupinetti FM. Vascular endothelial growth factor and basic fibroblast growth factor in children with cyanotic congenital heart disease. 2000;119:534-9
Starnes V. Discussion of Hawkins et al. 2000;119:324-30
Starnes V. Discussion of Langley et al. 2000;119:305-13
Starnes V. Discussion of Suda et al. 2000;119:297-304
Starnes V. Discussion of Tchervenkov et al. 2000;119:314-23
Starnes VA. Discussion of Swisher et al. 2000;119:1126-34
Starnes VA. Discussion of Huerd et al. 2000;119:458-65
Starzl TE (*see* Pham et al). 2000;119:673-81
Steinhubl SR, Moore SA, Lincoff AM. Abciximab (ReoPro) removal during cardiopulmonary bypass with a hemoconcentrator. 2000;119:401 (Letter)
Stephens KE, Wood DE. Bronchoscopic management of central airway obstruction. 2000;119:289-96
Stephens KE (*see* Keenan et al). 2000;119:501-5
Stephenson ER (see Damiano et al). 2000;119:77-82
Stock UA, Nagashima M, Khalil PN, Nollert GD, Herden T, Sperling JS, Moran A, Lien J, Martin DP, Schoen FJ, Vacanti JP, Mayer JE. Tissue-engineered valved conduits in the pulmonary circulation. 2000;119:732-40
Stringham JC, Bull DA, Karwande SV. Patch closure of the aortic anulus in a ventricular assist device recipient. 2000;119:1293-4 (Brief comm.)
Stringham JC (*see* Bull et al). 2000;119:242-50
Stump D (*see* Harmon and Stump). 2000;119:130-1 (Commentary)

Suda T, Mora BN, D'Ovidio F, Cooper JA, Hiratsuka M, Zhang W, Mohanakumar T, Patterson GA. In vivo adenovirus-mediated endothelial nitric oxide synthase gene transfer ameliorates lung allograft ischemia-reperfusion injury. 2000;119:297-304
Südow G. 119:4-9;(*see* Solymar et al). 2000
Sueda T (*see* Orihashi et al). 2000;119:384-6 (Brief comm.)
Sugarbaker DJ. Discussion of Pisters et al. 2000;119:429-39
Sugarbaker DJ (*see* Swanson et al). 2000;119:27-38
Suma H, Isomura T, Horii T, Sato T, Kikuchi N, Iwahashi K, Hosokawa J. Nontransplant cardiac surgery for end-stage cardiomyopathy. 2000;119:1233-45
Sun J (*see* Oriaku et al). 2000;119:1102-9
Sung S-H (*see* Ratcliffe et al). 2000;119:1194-204
Surraco J (*see* Picarelli et al). 2000;119:380-1 (Brief comm.)
Sutton MSJ (*see* Patel et al). 2000;119:834-41
Suzuki J-I (*see* Kono et al). 2000;119:101-7
Suzuki K (*see* Takamochi et al). 2000;119:1135-40
Suzuki S (*see* Suzuki et al). 2000;119:182-4 (Brief comm.)
Suzuki T, Kitami A, Suzuki S, Kamio Y, Hida Y, Hori G. Inferred observation during thoracoscopic surgery for bullous disease. 2000;119:182-4 (Brief comm.)
Svensson LG, Husain A, Penney DL, Swanson RA, Margolis DS, Kimmel WA, Nadolny E, Shahian DM. A prospective randomized study of neurocognitive function and S-100 protein after antegrade or retrograde brain perfusion with hypothermic arrest for aortic surgery. 2000;119:163-6 (Brief comm.)
Swanson RA (*see* Svensson et al). 2000;119:163-6 (Brief comm.)
Swanson SJ, Mentzer SJ, Reilly JJ, Bueno R, Lukanich JM, Jaklitsch MT, Kobzik L, Ingenito EP, Fuhlbrigge A, Donovan C, McKee C, Boyle K, Fagan GP, Sugarbaker DJ. Surveillance transbronchial lung biopsies: implication for survival after lung transplantation. 2000;119:27-38
Swanson SJ. Discussion of Pisters et al. 2000;119:429-39
Swanson SJ. Discussion of Reznik et al. 2000;119:39-45
Swanson SJ. Discussion of Roberts et al. 2000;119:449-52
Swartz MT (*see* McBride et al). 2000;119:1015-20
Swisher SG, DeFord L, Merriman KW, Walsh GL, Smythe R, Vaporicyan A, Ajani JA, Brown T, Komaki R, Roth JA, Putnam JB. Impact of operative volume on morbidity, mortality, and hospital use after esophagectomy for cancer. 2000;119:1126-34
Szentpetery S (*see* Allen et al). 2000;119:540-9
Szymanowska A (*see* Jassem et al). 2000;119:1141-6

T

Tabaie HA (*see* Damiano et al). 2000;119:77-82
Tada H (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Tada H (*see* Yamamoto et al). 2000;119:939-45
Taggart DP (*see* Chamberlain and Taggart). 2000;119:185-7 (Brief comm.)
Takahashi K (*see* Takamochi et al). 2000;119:1135-40
Takamochi K, Nagai K, Yoshida J, Suzuki K, Ohde Y, Nishimura M, Takahashi K, Nishiwaki Y. The role of computed tomographic scanning in diagnosing mediastinal node involvement in non–small cell lung cancer. 2000;119:1135-40
Takeda S, Estrera AS, Hsia CC. In vivo estimation of septal lung tissue volume and correlation with diffusing capacity in lung volume reduction surgery. 2000;119:191-2 (Letter)
Takinami M (*see* Kazui et al). 2000;119:558-65
Tamariz M (*see* Mickleborough et al). 2000;119:550-7
Tambasco J (*see* Picarelli et al). 2000;119:380-1 (Brief comm.)
Tamiya Y (*see* Kazui et al). 2000;119:558-65
Tamura N (*see* Sekine et al). 2000;119:1162-8
Tanaka Y (*see* Ohta et al). 2000;119:804-13
Taner CB (*see* Pellegrini et al). 2000;119:493-500
Tanita T (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Tarbell NJ (*see* Shamberger et al). 2000;119:1154-61
Tastepe I (*see* Topçu et al). 2000;119:180-2 (Brief comm.)
Tazelaar HD (*see* Pellegrini et al). 2000;119:493-500
Tchervenkov C. Discussion of Pigula et al. 2000;119:331-9
Tchervenkov CI, Pelletier MP, Shum-Tim D, Béland MJ, Rohlicek C. Primary repair minimizing the use of conduits in neonates and infants with tetralogy or double-outlet right ventricle and anomalous coronary arteries. 2000;119:314-23
Tector AJ, McDonald ML. Coronary artery bypass operation with arterial grafts in familial hypercholesterolemia. 2000;119:1014 (Commentary)
Teerlilnk JR (*see* Ratcliffe et al). 2000;119:1194-204
Temes TR, Rice TW, DeCamp M, Murthy S. Is neck or chest anastomosis preferable during esophageal resection? 2000;119:1298 (Letter)
Tenderich G (*see* El-Banayosy et al). 2000;119:581-7
Terada H (*see* Kazui et al). 2000;119:558-65
Theodore J (*see* Barlow et al). 2000;119:466-76
Thiagarajan R (*see* Keenan et al). 2000;119:501-5
Thomas A. Discussion of Stephens and Wood. 2000;119:289-96
Thomas NJ. Paraplegia after coronary artery bypass operations: relationship to severe hypertension and vascular disease. 2000;119:1296 (Letter reply)
Thomas-Vaslin V (*see* Braunberger et al). 2000;119:46-53
Tian G (*see* Oriaku et al). 2000;119:1102-9
Tietjen PA (*see* Guzman et al). 2000;119:382-3 (Brief comm.)
Timek T, Glasson JR, Dagum P, Green GR, Nistal JF, Komeda M, Daughters GT, Bolger AF, Foppiano LE, Ingels NB, Miller DC. Ring annuloplasty prevents delayed leaflet coaptation and mitral regurgitation during acute left ventricular ischemia. 2000;119:774-83
Todd TRJ. Discussion of Downey et al. 2000;119:420-8
Tojo T (*see* Yamamoto et al). 2000;119:939-45
Tokars JI (*see* Trick et al). 2000;119:108-14
Tomita S (*see* Li et al). 2000;119:62-8
Topçu S, Tastepe I, Alper A, Özdülger A, Albayak M, Bozkurt D, Liman T, Çetin G. Inflammatory pseudotumors of the lung: a clinical study of eleven patients. 2000;119:180-2 (Brief comm.)
Torres AJ (*see* Cantero et al). 2000;119:1119-25

Torres F (*see* Huerd et al). 2000;119:458-65
Toubin G (*see* Chocron et al). 2000;119:610-6
Trastek V. Discussion of Orringer et al. 2000;119;277-88
Tribble CG (*see* Ross et al). 2000;119:588-95
Trick WE, Scheckler WE, Tokars JI, Jones KC, Reppen ML, Smith EM, Jarvis WR. Modifiable risk factors associated with deep sternal site infection after coronary artery bypass grafting. 2000;119:108-14
Trigo-Trindade P (*see* Kalangos et al). 2000;119:1185-92
Tripp HF (*see* Brooks and Tripp et al). 2000;119:176-8 (Brief comm.)
Tseng MT (*see* Chien et al). 2000;119:921-30
Tsubota N (*see* Okada et al). 2000;119:814-9
Tsuchiya R (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Tsui SS (*see* Langley et al). 2000;119:1262-9
Turina MI (*see* Prêtre and Turina et al). 2000;119:173-4 (Brief comm.)

U

Ueda H (*see* Sekine et al). 2000;119:1162-8
Ugarte J (*see* Varela et al). 2000;119:402-3 (Letter)
Ündar A, Fraser CD. Balloon pump–induced pulsatile perfusion during cardiopulmonary bypass does not improve brain oxygenation. 2000;119:189 (Letter)
Underwood MJ (*see* Lloyd et al). 2000;119:148-54
Ungerleider RM (*see* Langley et al). 2000;119:305-13
Ungerleider RM (*see* Langley et al). 2000;119:1262-9
Uppal R (*see* James et al). 2000;119:171-2 (Brief comm.)
Urschel HC. Paulson, Donald L. 2000;119:411-2 (In memoriam)
Usel M (*see* de Perrot et al). 2000;119:21-6

V

Vacanti JP (*see* Stock et al). 2000;119:732-40
Vala D (*see* Kalangos et al). 2000;119:1185-92
Vallières E (*see* Freeman et al). 2000;119:260-7
Van Aken H (*see* Meisner et al). 2000;119:820-5
Van Arsdell GS (*see* Najm et al). 2000;119:515-24
van Oeveren W (*see* Westaby et al). 2000;119:132-7
van Zee K (*see* Downey et al). 2000;119:420-8
Vaporicyan A (*see* Swisher et al). 2000;119:1126-34
Varela A, García Montero C, Castedo E, Roda J, Gámez P, Madrigal L, Ugarte J. Transcutaneous extracorporeal cannulation for bilateral lung transplantation without splitting the sternum. 2000;119:402-3 (Letter)
Vazquez H (*see* Schlichter et al). 2000;119:869-79
Venkatraman E (*see* Downey et al). 2000;119:420-8
Venkatraman E (*see* Rusch et al). 2000;119:1147-53
Venuta F. Preimplantation retrograde pneumoplegia in clinical lung transplantation. 2000;119:636 (Letter reply)
Venuta F, Rendina EA, Rocca GD, De Giacomo T, Pugliese F, Ciccone AM, Vizza CD, Coloni GF. Pulmonary hemodynamics contribute to indicate priority for lung transplantation in patients with cystic fibrosis. 2000;119:682-9
Verhoye J-P (*see* Macchiarini et al). 2000;119:268-76
Vermilion RP (*see* Mosca et al). 2000;119:1110-8
Verrier E. Discussion of Bull et al. 2000;119:242-50
Verrier E. Discussion of Hawkins et al. 2000;119;324-30
Verrier ED. Getting started in academic cardiothoracic surgery. 2000;119:S1-10
Verrier ED (*see* Freeman et al). 2000;119:260-7
Viel J-F (*see* Chocron et al). 2000;119:610-6
Vigneswaran WT. Discussion of Roberts et al. 2000;119:449-52
Villate JI, Aldamiz-Echevarria G, Gaztelurrutia L, Barrenechea JI, Gonzalez de Zárate P. Cardiac aspergillosis. 2000;119:403-4 (Letter)
Vilquin J-T (*see* Scorsin et al). 2000;119:1169-75
Vizza CD (*see* Venuta et al). 2000;119:682-9
Vogt M (*see* Balling et al). 2000;119:745-51

W

Waddell TK. Discussion of Kulick et al. 2000;119:690-9
Waddell TK. Discussion of Pisters et al. 2000;119:429-39
Wagner CJ (*see* Pearl et al). 2000;119:931-8
Waldhausen JA. Editorial foreword. 2000;119:413 (Editorial)
Waldhausen JA. Retirement of Journal Editor. 2000;119:637
Walker CA, Crawford FA, Spinale FG. Myocyte contractile dysfunction with hypertrophy and failure: relevance to cardiac surgery. 2000;119:388-400
Wallace AW (*see* Ratcliffe et al). 2000;119:115-24
Wallace AW (*see* Ratcliffe et al). 2000;119:1194-204
Wallen WJ (*see* Najm et al). 2000;119:515-24
Walpoth BH. Discussion of Mora et al. 2000;119:913-20
Walsh GL (*see* Swisher et al). 2000;119:1126-34
Walther B (*see* Johansson and Walther). 2000;119:1299 (Letter reply)
Warner KG (*see* Carpino et al). 2000;119:69-76
Washiyama N (*see* Kazui et al). 2000;119:558-65
Watanabe S (*see* Moriyama et al). 2000;119:620-1 (Brief comm.)
Watanabe Y (*see* Kawasuji et al). 2000;119:1008-13
Watanabe Y (*see* Ohta et al). 2000;119:804-13
Watari M (*see* Orihashi et al). 2000;119:384-6 (Brief comm.)
Webb G (*see* David et al). 2000;119:210-20
Weber T (*see* Meisner et al). 2000;119:820-5
Wechsler AS. A new Editor for the *Journal*. 2000;119:859 (Editorial)
Weerasena NA (*see* Rodriguez et al). 2000;119:617-9 (Brief comm.)
Weerasena NA (*see* Rodriguez et al). 2000;119:634-5 (Letter)
Weigel TL, Lotze MT, Kim PK, Amoscato AA, Luketich JD, Odoux C. Paclitaxel-induced apoptosis in non–small cell lung cancer cell lines is associated with increased caspase-3 activity. 2000;119:795-803
Weinberg AD (*see* Williams et al). 2000;119:720-31
Weinberg DJ (*see* Morales et al). 2000;119:251-9
Weinberg PM (*see* McElhinney et al). 2000;119:849-51 (Brief comm.)
Weinstein CL (*see* Killen et al). 2000;119:1049-52 (Brief comm.)
Weisel RD (*see* Li et al). 2000;119:62-8

Weisel RD (*see* Li et al). 2000;119:368-75
Weisel RD (*see* Rao et al). 2000;119:1176-84
Wellmann SA (*see* Pearl et al). 2000;119:931-8
Wernovsky G (*see* Clancy et al). 2000;119:347-57
Wessel DL (*see* Munoz et al). 2000;119:155-62
Wessel DL (*see* Munoz et al). 2000;119:891-8
Westaby S. Aortic valve replacement with the Freestyle stentless bioprosthesis with respect to spacial orientation of patient coronary ostia. 2000;119:1192-3 (Commentary)
Westaby S, Saatvedt K, White S, Katsumata T, van Oeveren W, Bhatnagar NK, Brown S, Halligan PW. Is there a relationship between serum S-100β protein and neuropsychologic dysfunction after cardiopulmonary bypass? 2000;119:132-7
White J (*see* Medalion et al). 2000;119:963-74
White S (*see* Westaby et al). 2000;119:132-7
Whyte R. Discussion of Macchiarini et al. 2000;119;268-76
Whyte RI (*see* Rodefeld et al). 2000;119:851-3 (Brief comm.)
Wile FD (*see* Rodefeld et al). 2000;119:851-3 (Brief comm.)
Williams DL, Gelijns AC, Moskowitz AJ, Weinberg AD, Ng JH, Crawford E, Hayes CJ, Quaegebeur JM. Hypoplastic left heart syndrome: valuing the survival. 2000;119:720-31
Williams G (*see* Keenan et al). 2000;119:501-5
Williams MR (*see* Morales et al). 2000;119:251-9
Williams WG. Discussion of Schlichter et al. 2000;119:869-79
Williams WG (*see* Najm et al). 2000;119:515-24
Wittnich C (*see* Najm et al). 2000;119:515-24
Wojciechowski W (*see* Kuhn et al). 2000;119:1289-90 (Brief comm.)
Wong C. Paraplegia after coronary artery bypass operations: relationship to severe hypertension and vascular disease. 2000;119:1295 (Letter)
Wood DE. Discussion of Macchiarini et al. 2000;119;268-76
Wood DE. Discussion of Swisher et al. 2000;119:1126-34
Wood DE (*see* Freeman et al). 2000;119:260-7
Wood DE (*see* Stephens and Wood). 2000;119:289-96
Wormuth DW. Discussion of Swanson et al. 2000;119:27-38
Wright DJ (*see* de Leval et al). 2000;119:661-72
Wysocki H (*see* Kalawski et al). 2000;119:1270-7

X

Xiang B (*see* Oriaku et al). 2000;119:1102-9

Y

Yagi S (*see* Hata et al). 2000;119:125-9
Yamada K, Mawulawde K, Menard MT, Shimizu A, Aretz HT, Choo JK, Allison KS, Slisz JK, Sachs DH, Madsen JC. Mechanisms of tolerance induction and prevention of cardiac allograft vasculopathy in miniature swine: the effect of augmentation of donor antigen load. 2000;119:709-19
Yamagishi H (*see* Okada et al). 2000;119:814-9
Yamamoto H (*see* Moriyama et al). 2000;119:620-1 (Brief comm.)
Yamamoto R, Tada H, Kishi A, Tojo T. Effects of preoperative chemotherapy and radiation therapy on human bronchial blood flow. 2000;119:939-45
Yamamoto T (*see* Hata et al). 2000;119:125-9
Yamashita J, Kurusu Y, Fujino N, Saisyoji T, Ogawa M. Detection of circulating tumor cells in patients with non–small cell lung cancer undergoing lobectomy by video-assisted thoracic surgery: a potential hazard for intraoperative hematogenous tumor cell dissemination. 2000;119:899-905
Yamashita K (*see* Kazui et al). 2000;119:558-65
Yan Y (*see* Chocron et al). 2000;119:610-6
Yang C-Q (*see* He and Yang). 2000;119:94-100
Yang C-Q (*see* He and Yang). 2000;119:1039-45
Yasuda T (*see* Kawasuji et al). 2000;119:1008-13
Yau TM, Farag El-Ghoneimi YA, Armstrong S, Ivanov J, David TE. Mitral valve repair and replacement for rheumatic disease. 2000;119:53-61
Yau TM (*see* Li et al). 2000;119:62-8
Yau TM (*see* Li et al). 2000;119:368-75
Yau TM (*see* Rao et al). 2000;119:1176-84
Yew NS (*see* Mora et al). 2000;119:913-20
Yiu P. Should methylene blue be the drug of choice to treat vasoplegias caused by cardiopulmonary bypass and anaphylactic shock? 2000;119:633-4 (Letter reply)
Yoganathan AP (*see* Ellis and Yoganathan et al). 2000;119:83-93
Yokoi K (*see* Sato et al). 2000;119:1291-2 (Brief comm.)
Yokoyama E (*see* Hata et al). 2000;119:125-9
Yonan N (see Aziz et al). 2000;119:700-8
Yoshida J (*see* Takamochi et al). 2000;119:1135-40
Yoshihara F, Nishikimi T, Sasako Y, Kobayashi J, Kosakai Y, Hattori R, Horio T, Kitamura S, Matsuo H, Ohe T, Kangawa K. Preservation of the right atrial appendage improves reduced plasma atrial natriuretic peptide levels after the maze procedure. 2000;119:790-4
Yoshimura M (*see* Okada et al). 2000;119:814-9
Yotsumoto G (*see* Moriyama et al). 2000;119:620-1 (Brief comm.)

Z

Zahler S (*see* Massoudy et al). 2000;119:566-74
Zamora MR (*see* Huerd et al). 2000;119:458-65
Zaninotto G (*see* Merigliano et al). 2000;119:453-7
Zeevi A (*see* Pham et al). 2000;119:673-81
Zeinko L (*see* Munoz et al). 2000;119:155-62
Zerkowski H-R (*see* Georgiadis et al). 2000;119:138-47
Zerkowski H-R (*see* Habicht et al). 2000;119:1286-7 (Brief comm.)
Zhang F (*see* Chien et al). 2000;119:921-30
Zhang L (*see* Reznik et al). 2000;119:39-45
Zhang W (*see* Suda et al). 2000;119:297-304
Zienko L (*see* Munoz et al). 2000;119:891-8
Zierz S (*see* Georgiadis et al). 2000;119:138-47
Zúñiga C (*see* Picarelli et al). 2000;119:380-1 (Brief comm.)
Zurakowski D (*see* Daebritz et al). 2000;119:358-67
Zurakowski D (*see* Jahangiri et al). 2000;119:508-14

SUBJECT INDEX*

A

Academic medical centers

The academic surgeon and industry (Kaiser). 2000;119:S29-32

Becoming a surgical leader (Cohn). 2000;119:S42-4

Developing the academic thoracic surgeon: teaching surgery (Baumgartner and Greene). 2000;119:S22-5

Getting started in academic cardiothoracic surgery (Verrier). 2000;119:S1-10

Adenosine

Alternate explanation of the additive protective effects of regional infusion of hypothermic saline and adenosine solutions (Miyamoto and Miyamoto). 2000;119:631-2 (Letter)

Hypothermic retrograde venous perfusion with adenosine cools the spinal cord and reduces the risk of paraplegia after thoracic aortic clamping (Ross et al). 2000;119:588-95

Mechanisms of myocardial protection by adenosine-supplemented cardioplegic solution: myofilament and metabolic responses (Fogelson et al). 2000;119:601-9

Adenosine triphosphatase

Potential role of vacuolar H^+-adenosine triphosphatase in neointimal formation in cultured human saphenous vein (Otani et al). 2000;119:998-1007

Adenosine triphosphate

Adenosine triphosphate–dependent potassium channel modulation and cardioplegia-induced protection of human atrial muscle in an in vitro model of myocardial stunning (Monti et al). 2000;119:842-8

Does the degree of cyanosis affect myocardial adenosine triphosphate levels and function in children undergoing surgical procedures for congenital heart disease? (Najm et al). 2000;119:515-24

Adenoviridae

In vivo adenovirus-mediated endothelial nitric oxide synthase gene transfer ameliorates lung allograft ischemia-reperfusion injury (Suda et al). 2000;119:297-304

Administration

Developing administrative skills (Crawford). 2000;119:S33-7

Age factors

Whole blood ionized magnesium: age-related differences in normal values and clinical implications of ionized hypomagnesemia in patients undergoing congenital cardiac surgery (Munoz et al). 2000;119:891-8

Airway obstruction

Bronchoscopic management of central airway obstruction (Stephens and Wood). 2000;119:289-96

Relief of bronchial compression caused by a congenital heart defect by remodeling of the aortic arch (Prêtre and Turina). 2000;119:173-4 (Brief comm.)

Ambulatory care

Six-year experience of caring for forty-four patients with a left ventricular assist device at home: safe, economical, necessary (Morales et al). 2000;119:251-9

American Association for Thoracic Surgery

The American Association for Thoracic Surgery Graham Traveling Fellowship, 2001-2002. 2000;119:652-4, 862, 1082, 1304

The American Association for Thoracic Surgery International Traveling Fellowship. 2000;119:656, 863, 1083, 1305

The American Association for Thoracic Surgery John H. Gibbon, Jr. Research Scholarship, 2001-2003. 2000;119:654-5, 862-3, 1082-3, 1304-5

Notice of 2000 annual meeting. 2000;119:198-9, 407-8, 657-8, 864-5

Notice of 2001 annual meeting. 2000;119:1084-5, 1306-7

Program for eightieth annual meeting. 2000;119:640-65

American Board of Thoracic Surgery

New requirements for recertification in the year 2001. 2000;119:200-1, 409-10, 659-70, 867, 1091, 1309

Notices. 2000;119:200, 409, 659, 866, 1090, 1308

Anastomosis, surgical

Initial United States clinical trial of robotically assisted endoscopic coronary artery bypass grafting (Damiano et al). 2000;119:77-82

Is neck or chest anastomosis preferable during esophageal resection? (Temes et al) (Letter); (Johansson and Walther) (Reply). 2000;119:1298

Aneurysm

Dilation of the pulmonary autograft after the Ross procedure (David et al). 2000;119:210-20

Aneurysms, aortic

A new technique for sparing the aortic valve in patients with aneurysm of the ascending aorta and root (Hvass). 2000;119:1048 (Brief comm.)

Angioneurotic edema

Successful use of C1 esterase inhibitor protein in a patient with hereditary angioneurotic edema requiring coronary artery bypass surgery (Alvaraz). 2000;119:168-71 (Brief comm.)

Announcements

2000;119:198-202, 407-10, 640-60, 862-8, 1082-92, 1304-10

Anti-arrhythmia agents

Prolonged cardiopulmonary bypass for severe drug intoxication (Pasic et al). 2000;119:379-80 (Brief comm.)

*January, 1-202; February, 203-410; March, 411-660; April, part 1, 661-868; April, part 2, S1-48; May, 869-1092; June, 1093-1350.

Antibiotics, glycopeptide
Is the use of topical vancomycin to prevent mediastinitis after cardiac surgery justified? (Oakley et al). 2000;119:190-1 (Letter)

Antibodies
Evidence against a pivotal role of preformed antibodies in delayed rejection of a guinea pig–to–rat heart xenograft (Grimm et al). 2000;119:477-87

Antibodies, monoclonal
Abciximab (ReoPro) removal during cardiopulmonary bypass with a hemoconcentrator (Steinhubl et al) (Letter); (Poullis) (Reply). 2000;119:401

Anticoagulants
Failure of danaparoid anticoagulation for cardiopulmonary bypass (Ariano et al). 2000;119:167-8 (Brief comm.)

Antiviral agents
Tolerance induced without immunosuppression in a T-lymphocyte suicide-gene therapy cardiac allograft model in mice (Braunberger et al). 2000;119:46-53

Aorta
Extended total arch replacement for acute type A aortic dissection: experience with seventy patients (Kazui et al). 2000;119:558-65
Patch closure of the aortic anulus in a ventricular assist device recipient (Stringham et al). 2000;119:1293-4 (Brief comm.)
Size and distensibility of the aortic root and aortic valve function after different techniques of the Ross procedure (Schmidtke et al). 2000;119:990-7

Aorta, thoracic
Hypothermic retrograde venous perfusion with adenosine cools the spinal cord and reduces the risk of paraplegia after thoracic aortic clamping (Ross et al). 2000;119:588-95
Regional low-flow perfusion provides cerebral circulatory support during neonatal aortic arch reconstruction (Pigula et al). 2000;119:331-9
Relief of bronchial compression caused by a congenital heart defect by remodeling of the aortic arch (Prêtre and Turina). 2000;119:173-4 (Brief comm.)
Right-sided aortic arch with bilateral ductus: a rare case of nonconfluent pulmonary arteries without associated cardiac anomalies (McElhinney et al). 2000;119:849-51 (Brief comm.)

Aortic arch; *see* Aorta, thoracic

Aortic diseases
Extended total arch replacement for acute type A aortic dissection: experience with seventy patients (Kazui et al). 2000;119:558-65
Long-term effectiveness of operations for ascending aortic dissections (Sabik et al). 2000;119:946-62
Reversal of spinal cord ischemia resulting from aortic dissection (Killen et al). 2000;119:1049-52 (Brief comm.)

Aortic rupture
Reduced survival in women after valve surgery for aortic regurgitation: impact of aortic enlargement and late aortic rupture (McDonald et al). 2000; 119:1205-15

Aortic valve
Aortic valve replacement: Is valve size important? (Medalion et al). 2000;119:963-74
Aortic valve replacement with the Freestyle stentless bioprosthesis with respect to spacial orientation of patient coronary ostia (Kalangos et al). 2000; 119:1185-92
Body surface area as a predictor of aortic and pulmonary valve diameter (Capps et al). 2000;119:975-82
Class I and class II anti-HLA antibodies after implantation of cryopreserved allograft material in pediatric patients (Hawkins et al). 2000;119:324-30
Method of determination of aortic valve parameters for its reconstruction with autopericardium: an experimental study (Gasparyan). 2000;119:386-7 (Brief comm.)
A new technique for sparing the aortic valve in patients with aneurysm of the ascending aorta and root (Hvass). 2000;119:1048 (Brief comm.)
Posterior aortoventricular bleeding after aortic valve replacement with the stentless Cryolife-O'Brien valve (Hvass). 2000;119:857-8 (Letter)
Re-creation of sinuses is important for sparing the aortic valve: a finite element study (Grande-Allen et al); (David) (Commentary). 2000;119:753-62
Reduced survival in women after valve surgery for aortic regurgitation: impact of aortic enlargement and late aortic rupture (McDonald et al). 2000; 119:1205-15
Size and distensibility of the aortic root and aortic valve function after different techniques of the Ross procedure (Schmidtke et al). 2000;119:990-7

Aortic valve insufficiency
Aortic valve replacement with the Freestyle stentless bioprosthesis with respect to spacial orientation of patient coronary ostia (Kalangos et al). 2000; 119:1185-92
Rabbit ventricular myocyte volume changes as a direct result of crystalloid cardioplegia in congestive heart failure induced by aortic regurgitation (Danetz et al). 2000;119:826-33
Reduced survival in women after valve surgery for aortic regurgitation: impact of aortic enlargement and late aortic rupture (McDonald et al). 2000; 119:1205-15

Aortic valve regurgitation; *see* Aortic valve insufficiency

Aortic valve stenosis
Increase in size of the pulmonary autograft after the Ross operation in children: Growth or dilation? (Solymar et al). 2000;119:4-9

Apoptosis
Paclitaxel-induced apoptosis in non–small cell lung can-

cer cell lines is associated with increased caspase-3 activity (Weigel et al). 2000;119:795-803

Aprotinin

Aprotinin preserves myocardial biochemical function during cold storage through suppression of tumor necrosis factor (Bull et al). 2000;119:242-50

Arteriovenous malformations

Management of pulmonary arteriovenous malformations after surgery for complex congenital heart disease (Bacha et al). 2000;119:175-6 (Brief comm.)

Aspergilloma, pulmonary

Surgical treatment of pulmonary aspergilloma: current outcome (Babatasi et al). 2000;119:906-12

Aspergillosis

Cardiac aspergillosis (Villate et al). 2000;119:403-4 (Letter)

Successful local excision and long-term survival for invasive pulmonary aspergillosis during neutropenia after bone marrow transplantation (Habicht et al). 2000;119:1286-7 (Brief comm.)

Aspiration

Preemptive gastrointestinal tract management reduces aspiration and respiratory failure after thoracic operations (Roberts et al). 2000;119:449-52

Assistive devices

Novacor left ventricular assist system versus HeartMate vented electric left ventricular assist system as a long-term mechanical circulatory support device in bridging patients: a prospective study (El-Banayosy et al). 2000;119:581-7

Patch closure of the aortic anulus in a ventricular assist device recipient (Stringham et al). 2000;119:1293-4 (Brief comm.)

Single-center experience with the Thoratec ventricular assist device (Körfer et al). 2000;119:596-600

Atrial fibrillation

Combined mitral valve repair and the Cox maze procedure for mitral valve prolapse and regurgitation and associated atrial fibrillation (Cheng). 2000;119:634 (Letter)

Atrial natriuretic factor

Preservation of the right atrial appendage improves reduced plasma atrial natriuretic peptide levels after the maze procedure (Yoshihara et al). 2000;119:790-4

Autoantibodies

Anti-HLA antibody binding to HLA class I molecules induces proliferation of airway epithelial cells: a potential mechanism for bronchiolitis obliterans syndrome (Reznik et al). 2000;119:39-45

Class I and class II anti-HLA antibodies after implantation of cryopreserved allograft material in pediatric patients (Hawkins et al). 2000;119:324-30

Autologous pericardial valved conduits

Five-to fifteen-year follow-up of fresh autologous pericardial valved conduits (Schlichter et al). 2000;119:869-79

Axilla

Notes about axillary cannulation (Neri and Sassi). 2000;119:1298 (Letter)

B

Barrett esophagus

Combined sleeve lobectomy and Ivor Lewis esophagectomy for synchronous primary carcinoma of the lung and Barrett esophagus (Kuhn et al). 2000;119:1289-90 (Brief comm.)

***Bartonella* infections**

Bartonella infection: a significant cause of native valve endocarditis necessitating surgical management (James et al). 2000;119:171-2 (Brief comm.)

Basic Science review

2000;119:388-400, 1053-77

Bioprosthesis

Aortic valve replacement with the Freestyle stentless bioprosthesis with respect to spacial orientation of patient coronary ostia (Kalangos et al). 2000;119:1185-92

Construction of a bioengineered cardiac graft (Li et al). 2000;119:368-75

Biopsy

Tumor implantation after computed tomography–guided biopsy of lung cancer (Raftopoulos et al). 2000;119:1288 (Brief comm.)

Blood vessel prosthesis

Dilation of the pulmonary autograft after the Ross procedure (David et al). 2000;119:210-20

Posterior aortoventricular bleeding after aortic valve replacement with the stentless Cryolife-O'Brien valve (Hvass). 2000;119:857-8 (Letter)

Bone marrow transplantation

A clinical trial combining donor bone marrow infusion and heart transplantation: intermediate-term results (Pham et al). 2000;119:673-81

Successful local excision and long-term survival for invasive pulmonary aspergillosis during neutropenia after bone marrow transplantation (Habicht et al). 2000;119:1286-7 (Brief comm.)

Brain

Balloon pump–induced pulsatile perfusion during cardiopulmonary bypass does not improve brain oxygenation (Ündar and Fraser) (Letter); (Kadoi and Saito) (Reply). 2000;119:189

Brain function monitoring during bidirectional Glenn procedures (Rodriguez et al). 2000;119:617-9 (Brief comm.)

Is maintained cranial hypothermia the only factor leading to improved outcome after retrograde cerebral perfusion? an experimental study using a chronic porcine model (Anttila et al). 2000;119:1021-9

Brain—cont'd
A prospective randomized study of neurocognitive function and S-100 protein after antegrade or retrograde brain perfusion with hypothermic arrest for aortic surgery (Svensson et al). 2000;119:163-6 (Brief comm.)
Pulsatile perfusion during cardiopulmonary bypass (Bergman) (Letter); (Kadoi and Saito) (Reply). 2000;119:188
Regional low-flow perfusion provides cerebral circulatory support during neonatal aortic arch reconstruction (Pigula et al). 2000;119:331-9

Brain diseases
Biochemical markers of brain injury after cardiac surgery (Harmon and Stump). 2000;119:130-1 (Commentary)
Predictive value of S-100β and neuron-specific enolase serum levels for adverse neurologic outcome after cardiac surgery (Georgiadis et al). 2000;119:138-47

Brain ischemia
The free radical spin trap α-phenyl-*tert*-butyl nitrone attenuates the cerebral response to deep hypothermic ischemia (Langley et al). 2000;119:305-13

Breast neoplasms
Chest wall resection for locally recurrent breast cancer: Is it worthwhile? (Downey et al). 2000;119:420-8

Brief communications
2000;119:163-87, 376-87, 617-23, 849-54, 1046-52, 1284-94

Bronchial neoplasms
Leiomyosarcoma of the bronchus: report of two cases of resection with long-term follow-up (Muscolino et al). 2000;119:853-4 (Brief comm.)

Bronchiolitis obliterans
Anti-HLA antibody binding to HLA class I molecules induces proliferation of airway epithelial cells: a potential mechanism for bronchiolitis obliterans syndrome (Reznik et al). 2000;119:39-45

Bronchiolitis obliterans organizing pneumonia
Bronchiolitis obliterans–organizing pneumonia after coronary artery bypass graft surgery (Guzman et al). 2000;119:382-3 (Brief comm.)

Bronchoscopy
Bronchoscopic management of central airway obstruction (Stephens and Wood). 2000;119:289-96

C

c-jun
The early response genes *c-jun* and HSP-70 are induced in regional cardiac stunning in conscious mammals (Meisner et al). 2000;119:820-5

Calcitonin gene–related peptide
Calcitonin gene–related peptide enhances the recovery of contractile function in stunned myocardium (Atkins et al). 2000;119:1246-54

Calcium
Myocyte contractile dysfunction with hypertrophy and failure: relevance to cardiac surgery (Walker et al). 2000;119:388-400 (Basic science review)

Calcium channel blockers
Comparative study on calcium channel antagonists in the human radial artery: clinical implications (He and Yang). 2000;119:94-100

Cannulation
Notes about axillary cannulation (Neri and Sassi). 2000;119:1298 (Letter)

Captopril
Captopril-induced glutamate release at the start of reperfusion after cold cardioplegic storage of pig hearts (Randsbaek et al). 2000;119:1030-8

Carcinoma, non–small-cell lung
Detection of circulating tumor cells in patients with non–small cell lung cancer undergoing lobectomy by video-assisted thoracic surgery: a potential hazard for intraoperative hematogenous tumor cell dissemination (Yamashita et al). 2000;119:899-905
Increased vascular endothelial growth factor and vascular endothelial growth factor-C and decreased nm23 expression associated with microdissemination in the lymph nodes in stage I non–small cell lung cancer (Ohta et al). 2000;119:804-13
Induction chemotherapy before surgery for early-stage lung cancer: a novel approach (Pisters et al). 2000;119:429-39
Paclitaxel-induced apoptosis in non–small cell lung cancer cell lines is associated with increased caspase-3 activity (Weigel et al). 2000;119:795-803
Prognostic value of the quantified expression of $p185^{c\text{-}erbB2}$ in non–small cell lung cancer (Cantero et al). 2000;119:1119-25
Results of surgical treatment of non–small cell lung cancer (Jassem et al). 2000;119:1141-6
The role of computed tomographic scanning in diagnosing mediastinal node involvement in non–small cell lung cancer (Takamochi et al). 2000;119:1135-40
Sex differences in presentations, management, and prognosis of patients with non–small cell lung carcinoma (de Perrot et al). 2000;119:21-6

Cardiomegaly
Myocyte contractile dysfunction with hypertrophy and failure: relevance to cardiac surgery (Walker et al). 2000;119:388-400 (Basic science review)

Cardiomyocytes
Comparison of the effects of fetal cardiomyocyte and skeletal myoblast transplantation on postinfarction left ventricular function (Scorsin et al). 2000;119:1169-75

Cardiomyopathy
Nontransplant cardiac surgery for end-stage cardiomyopathy (Suma et al). 2000;119:1233-45

Cardioplegia
Adenosine triphosphate–dependent potassium channel modulation and cardioplegia-induced protection of

human atrial muscle in an in vitro model of myocardial stunning (Monti et al). 2000;119:842-8

Rabbit ventricular myocyte volume changes as a direct result of crystalloid cardioplegia in congestive heart failure induced by aortic regurgitation (Danetz et al). 2000;119:826-33

Cardioplegia; *see* Heart arrest, induced

Cardioplegic solutions

Captopril-induced glutamate release at the start of reperfusion after cold cardioplegic storage of pig hearts (Randsbaek et al). 2000;119:1030-8

Controlled postcardioplegia reperfusion: mechanism for attenuation of reperfusion injury (Holman et al). 2000;119:1093-101

Insulin cardioplegia for elective coronary bypass surgery (Rao et al); (Glower) (Commentary). 2000;119:1176-84

Intermediate lukewarm (20°C) antegrade intermittent blood cardioplegia compared with cold and warm blood cardioplegia (Chocron et al). 2000;119:610-6

Mechanisms of myocardial protection by adenosine-supplemented cardioplegic solution: myofilament and metabolic responses (Fogelson et al). 2000;119:601-9

Stimulation of neutrophil integrin expression during coronary artery bypass grafting: comparison of crystalloid and blood cardioplegia (Kalawski et al). 2000;119:1270-7

Cardiopulmonary bypass

Abciximab (ReoPro) removal during cardiopulmonary bypass with a hemoconcentrator (Steinhubl et al) (Letter); (Poullis) (Reply). 2000;119:401

Balloon pump–induced pulsatile perfusion during cardiopulmonary bypass does not improve brain oxygenation (Ündar and Fraser) (Letter); (Kadoi and Saito) (Reply). 2000;119:189-90

Changes in whole blood lactate levels during cardiopulmonary bypass surgery for congenital cardiac disease: an early indicator of morbidity and mortality (Munoz et al). 2000;119:155-62

Effects of selectin-sialyl Lewis^x blockade on mesenteric microvascular permeability associated with cardiopulmonary bypass (Cox et al). 2000;119:1255-61

Failure of danaparoid anticoagulation for cardiopulmonary bypass (Ariano et al). 2000;119:167-8 (Brief comm.)

Is there a relationship between systemic perfusion temperature during coronary artery bypass grafting and extent of intraoperative ischemic central nervous system injury? (Engelman et al). 2000;119:230-2

Is there a relationship between serum S-100β protein and neuropsychologic dysfunction after cardiopulmonary bypass? (Westaby et al). 2000;119:132-7

Long-term results of simultaneous carotid endarterectomy and myocardial revascularization with cardiopulmonary bypass used for both procedures (Minami et al); (Atkins) (Commentary). 2000;119:764-72

Oxygen consumption after cardiopulmonary bypass surgery in children: determinants and implications (Li et al). 2000;119:525-33

Particulate emboli capture by an intra-aortic filter device during cardiac surgery (Reichenspurner et al). 2000;119:233-41

Prolonged cardiopulmonary bypass for severe drug intoxication (Pasic et al). 2000;119:379-80 (Brief comm.)

Pulmonary surfactant and cardiopulmonary bypass in infants (Millar et al) (Letter); (Paul et al) (Reply). 2000;119:192

Pulsatile perfusion during cardiopulmonary bypass (Bergman) (Letter); (Kadoi and Saito) (Reply). 2000;119:188

A quick assay for monitoring r-hirudin during cardiopulmonary bypass in patients with heparin-induced thrombocytopenia type II: adaptation of the ecarin clotting time to the ACT II device (Koster et al). 2000;119:1278-83

Should methylene blue be the drug of choice to treat vasoplegias caused by cardiopulmonary bypass and anaphylactic shock? (Evora) (Letter); (Yiu) (Reply). 2000;119:632-3

Should the bidirectional Glenn procedure be better performed through the support of cardiopulmonary bypass? (Rodriguez et al) (Letter); (Jahangiri et al) (Reply). 2000;119:634-5

Transcutaneous extracorporeal cannulation for bilateral lung transplantation without splitting the sternum (Varela et al). 2000;119:402-3 (Letter)

Use of intravenous methylene blue for the treatment of refractory hypotension after cardiopulmonary bypass (Pagni and Austin). 2000;119:1297 (Letter)

Venovenous ultrafiltration after cardiopulmonary bypass in children: a prospective randomized study (Hennein). 2000;119:630 (Retraction)

Cardiopulmonary support and physiology

2000;119:130-62, 242-59, 581-616, 820-48, 1015-45, 1246-83

Cardiothoracic transplantation

2000;119:27-52, 297-304, 458-500, 673-719

Carotid endarterectomy

Long-term results of simultaneous carotid endarterectomy and myocardial revascularization with cardiopulmonary bypass used for both procedures (Minami et al); (Atkins) (Commentary). 2000;119:764-72

Caspase

Paclitaxel-induced apoptosis in non–small cell lung cancer cell lines is associated with increased caspase-3 activity (Weigel et al). 2000;119:795-803

Catheterization

Transcutaneous extracorporeal cannulation for bilateral lung transplantation without splitting the sternum (Varela et al). 2000;119:402-3 (Letter)

Cell transplantation

Autologous porcine heart cell transplantation improved heart function after a myocardial infarction (Li et al). 2000;119:62-8

Cerebral infarction
Is there a relationship between systemic perfusion temperature during coronary artery bypass grafting and extent of intraoperative ischemic central nervous system injury? (Engelman et al). 2000;119:230-2

Cerebral perfusion
Is maintained cranial hypothermia the only factor leading to improved outcome after retrograde cerebral perfusion? an experimental study using a chronic porcine model (Anttila et al). 2000;119:1021-9

Chagas disease
Esophagectomy with gastric reconstruction for achalasia (Sader). 2000;119:194-5 (Letter)

Chemotherapy
Effects of preoperative chemotherapy and radiation therapy on human bronchial blood flow (Yamamoto et al). 2000;119:939-45
Induction chemotherapy before surgery for early-stage lung cancer: a novel approach (Pisters et al). 2000;119:429-39

Chest; *see* Thorax

Child
Oxygen consumption after cardiopulmonary bypass surgery in children: determinants and implications (Li et al). 2000;119:525-33
Pulmonary vascular compromise in a child with postpneumonectomy syndrome (Rodefeld et al). 2000; 119:851-3 (Brief comm.)
Vascular endothelial growth factor and basic fibroblast growth factor in children with cyanotic congenital heart disease (Starnes et al). 2000;119:534-9
Venovenous ultrafiltration after cardiopulmonary bypass in children: a prospective randomized study (Hennein). 2000; 119:630 (Retraction)

Chondroitin sulfates
Failure of danaparoid anticoagulation for cardiopulmonary bypass (Ariano et al). 2000;119:167-8 (Brief comm.)

Chylothorax
Chylothorax complicating esophagectomy for cancer: a plea for early thoracic duct ligation (Merigliano et al). 2000;119:453-7

Classification
Results of surgical treatment of non–small cell lung cancer (Jassem et al). 2000;119:1141-6

Clinical science
Clinical science research (Glover and Shroyer). 2000;119:S11-21

Cognition disorders
Is there a relationship between serum S-100β protein and neuropsychologic dysfunction after cardiopulmonary bypass? (Westaby et al). 2000;119:132-7
A prospective randomized study of neurocognitive function and S-100 protein after antegrade or retrograde brain perfusion with hypothermic arrest for aortic surgery (Svensson et al). 2000;119:163-6 (Brief comm.)
Serum S-100 release and neuropsychologic outcome during coronary revascularization on the beating heart: a prospective randomized study (Lloyd et al). 2000;119:148-54

Cold
Aprotinin preserves myocardial biochemical function during cold storage through suppression of tumor necrosis factor (Bull et al). 2000;119:242-50

Collagen
Carinal reconstruction with a Y-shaped collagen-conjugated prosthesis (Sekine et al). 2000;119:1162-8

Coronary artery bypass
Bronchiolitis obliterans–organizing pneumonia after coronary artery bypass graft surgery (Guzman et al). 2000;119:382-3 (Brief comm.)
Clinical results of coronary artery bypass grafting with use of the internal thoracic artery under low free flow conditions (Hata et al). 2000;119:125-9
Competing risks after coronary bypass surgery: the influence of death on reintervention (Blackstone and Lytle). 2000;119:1221-32
Coronary artery bypass operation with arterial grafts in familial hypercholesterolemia (Kawasuji et al); (Tector and McDonald) (Commentary). 2000; 119:1008-13
Insulin cardioplegia for elective coronary bypass surgery (Rao et al); (Glower) (Commentary). 2000;119:1176-84
Modifiable risk factors associated with deep sternal site infection after coronary artery bypass grafting (Trick et al). 2000;119:108-14
Paraplegia after coronary artery bypass operations: relationship to severe hypertension and vascular disease (Wong) (Letter); (Thomas) (Reply). 2000;119:1295
Predictive value of S-100β and neuron-specific enolase serum levels for adverse neurologic outcome after cardiac surgery (Georgiadis et al). 2000;119:138-47
Sodium nitroprusside in patients with compromised left ventricular dysfunction (Massoudy et al). 2000; 119:566-74
Stimulation of neutrophil integrin expression during coronary artery bypass grafting: comparison of crystalloid and blood cardioplegia (Kalawski et al). 2000; 119:1270-7
Successful use of C1 esterase inhibitor protein in a patient with hereditary angioneurotic edema requiring coronary artery bypass surgery (Alvaraz). 2000;119:168-71 (Brief comm.)
Topical use of tranexamic acid in coronary artery bypass operations: a double-blind, prospective, randomized, placebo-controlled study (De Bonis et al). 2000; 119:575-80
Transmyocardial laser revascularization combined with coronary artery bypass grafting: a multicenter, blinded, prospective, randomized, controlled trial (Allen et al). 2000;119:540-9

Vasorelaxant effect of phosphodiesterase-inhibitor milrinone in the human radial artery used as coronary bypass graft (He and Yang). 2000;119:1039-45

Coronary disease

Systemic off-pump coronary artery revascularization in multivessel disease: experience of three hundred cases (Cartier et al). 2000;119:221-9

Coronary vessel anomalies

Primary repair minimizing the use of conduits in neonates and infants with tetralogy or double-outlet right ventricle and anomalous coronary arteries (Tchervenkov et al). 2000;119:314-23

Corrections

Studies in thoracic aortic graft infections: the development of a porcine model and comparison of collagen-impregnated Dacron grafts and cryopreserved allografts (Rowe et al). (1999;118:857-65). 2000;119:636

Costs and cost analysis

Hypoplastic left heart syndrome: valuing the survival (Williams et al). 2000;119:720-31

Cox maze procedure

Combined mitral valve repair and the Cox maze procedure for mitral valve prolapse and regurgitation and associated atrial fibrillation (Cheng). 2000;119:634 (Letter)

Creativeness

Innovation in surgery (David). 2000;119:S38-41

Cryolife-O'Brien valve

Posterior aortoventricular bleeding after aortic valve replacement with the stentless Cryolife-O'Brien valve (Hvass). 2000;119:857-8 (Letter)

Cryopreservation

Class I and class II anti-HLA antibodies after implantation of cryopreserved allograft material in pediatric patients (Hawkins et al). 2000;119:324-30

Cyanosis

Does the degree of cyanosis affect myocardial adenosine triphosphate levels and function in children undergoing surgical procedures for congenital heart disease? (Najm et al). 2000;119:515-24

Cystic fibrosis

Pulmonary hemodynamics contribute to indicate priority for lung transplantation in patients with cystic fibrosis (Venuta et al). 2000;119:682-9

D

Debridement

Descending necrotizing mediastinitis: an analysis of the effects of serial surgical debridement on patient mortality (Freeman et al). 2000;119:260-7

Decision making, organizational

Developing administrative skills (Crawford). 2000;119:S33-7

Dermatan sulfate

Failure of danaparoid anticoagulation for cardiopulmonary bypass (Ariano et al). 2000;119:167-8 (Brief comm.)

Developing the academic surgeon

2000;119:S1-48

Dextrans

Comparison of University of Wisconsin, Euro-Collins, low-potassium dextran, and Krebs-Henseleit solutions for hypothermic lung preservation (Chien et al). 2000;119:921-30

Raffinose improves the function of rat pulmonary grafts stored for twenty-four hours in low-potassium dextran solution (Fischer et al). 2000;119:488-92

Double outlet right ventricle

Primary repair minimizing the use of conduits in neonates and infants with tetralogy or double-outlet right ventricle and anomalous coronary arteries (Tchervenkov et al). 2000;119:314-23

E

Editorials

The core of leadership (Souba). 2000;119:414-9

Editorial foreword (Waldhausen). 2000;119:413

Management of the congenitally abnormal right ventricular outflow tract—What is the right approach? (Hanley). 2000;119:1-3

A new Editor for the *Journal* (Wechsler). 2000;119:859

Education, medical

Developing the academic thoracic surgeon: teaching surgery (Baumgartner and Greene). 2000;119:S22-5

Getting started in academic cardiothoracic surgery (Verrier). 2000;119:S1-10

Embolism

Particulate emboli capture by an intra-aortic filter device during cardiac surgery (Reichenspurner et al). 2000;119:233-41

Endocarditis, bacterial

Bartonella infection: a significant cause of native valve endocarditis necessitating surgical management (James et al). 2000;119:171-2 (Brief comm.)

Cardiac aspergillosis (Villate et al). 2000;119:403-4 (Letter)

Surgical management of active infective endocarditis in a premature neonate weighing 950 grams (Picarelli et al). 2000;119:380-1 (Brief comm.)

Endoscopy

Clinical benefits of endoscopic vein harvesting in patients with risk factors for saphenectomy wound infections undergoing coronary artery bypass grafting (Carpino et al). 2000;119:69-76

Initial United States clinical trial of robotically assisted endoscopic coronary artery bypass grafting (Damiano et al). 2000;119:77-82

Endothelial growth factors
Expression of vascular endothelial growth factor and angiogenesis in cardiac myxoma: a study of fifteen patients (Kono et al). 2000;119:101-7
Increased vascular endothelial growth factor and vascular endothelial growth factor-C and decreased nm23 expression associated with microdissemination in the lymph nodes in stage I non–small cell lung cancer (Ohta et al). 2000;119:804-13
Vascular endothelial growth factor and basic fibroblast growth factor in children with cyanotic congenital heart disease (Starnes et al). 2000;119:534-9

Energy metabolism
Effects of retrograde cardioplegia on myocardial perfusion and energy metabolism in immature porcine myocardium (Oriaku et al). 2000;119:1102-9

Esophageal neoplasms
Impact of operative volume on morbidity, mortality, and hospital use after esophagectomy for cancer (Swisher et al). 2000;119:1126-34

Esophagectomy
Chylothorax complicating esophagectomy for cancer: a plea for early thoracic duct ligation (Merigliano et al). 2000;119:453-7
Combined sleeve lobectomy and Ivor Lewis esophagectomy for synchronous primary carcinoma of the lung and Barrett esophagus (Kuhn et al). 2000;119:1289-90 (Brief comm.)
Esophagectomy with gastric reconstruction for achalasia (Sader). 2000;119:194-5 (Letter)
Impact of operative volume on morbidity, mortality, and hospital use after esophagectomy for cancer (Swisher et al). 2000;119:1126-34

Esophagoplasty
Evaluation and outcome of different surgical techniques for postintubation tracheoesophageal fistulas (Macchiarini et al). 2000;119:268-76

Esophagus
Eliminating the cervical esophagogastric anastomotic leak with a side-to-side stapled anastomosis (Orringer et al). 2000;119:277-88
Is neck or chest anastomosis preferable during esophageal resection? (Temes et al) (Letter); (Johansson and Walther) (Reply). 2000;119:1298

Events of interest
2000;119:196-7, 405-6, 638-39, 860-1, 1079-81, 1301-3

F

Fibroblast growth factor, basic
Vascular endothelial growth factor and basic fibroblast growth factor in children with cyanotic congenital heart disease (Starnes et al). 2000;119:534-9

Fibroma
Solitary fibrous tumor associated with hypoglycemia: an example of the Doege-Potter syndrome (Chamberlain and Taggart). 2000;119:185-7 (Brief comm.)

Financing, government
Getting funded (Kron). 2000;119:S26-8

Fontan procedure
Early results of the Fontan procedure in one hundred consecutive patients with hypoplastic left heart syndrome (Mosca et al). 2000;119:1110-8
Intracardiac thrombus formation after the Fontan operation (Balling et al); (Jonas) (Commentary). 2000;119:745-51
Revision of previous Fontan connections to total extracardiac cavopulmonary anastomosis: a multicenter experience (Marcelletti et al). 2000;119:340-6

Free radical scavengers
The free radical spin trap α-phenyl-*tert*-butyl nitrone attenuates the cerebral response to deep hypothermic ischemia (Langley et al). 2000;119:305-13

Funnel chest
Bioabsorbable weave technique for repair of pectus excavatum (Brooks and Tripp). 2000;119:176-8 (Brief comm.)

G

Gastrointestinal tract
Preemptive gastrointestinal tract management reduces aspiration and respiratory failure after thoracic operations (Roberts et al). 2000;119:449-52

Gene therapy
Tolerance induced without immunosuppression in a T-lymphocyte suicide-gene therapy cardiac allograft model in mice (Braunberger et al). 2000;119:46-53

Gene transfer
Eliminating the cervical esophagogastric anastomotic leak with a side-to-side stapled anastomosis (Orringer et al). 2000;119:277-88
Highly efficient ex vivo gene transfer to the transplanted heart by means of hypothermic perfusion with a low dose of adenoviral vector (Pellegrini et al). 2000;119:493-500
Transforming growth factor β-1 gene transfer ameliorates acute lung allograft rejection (Mora et al). 2000;119:913-20
In vivo adenovirus-mediated endothelial nitric oxide synthase gene transfer ameliorates lung allograft ischemia-reperfusion injury (Suda et al). 2000;119:297-304

General thoracic surgery
2000;119:10-26, 260-96, 420-57, 795-819, 899-945, 1119-68

Genetic vectors
Highly efficient ex vivo gene transfer to the transplanted heart by means of hypothermic perfusion with a low dose of adenoviral vector (Pellegrini et al). 2000;119:493-500

Glenn procedure
Brain function monitoring during bidirectional Glenn procedures (Rodriguez et al). 2000;119:617-9 (Brief comm.)
Should the bidirectional Glenn procedure be better performed through the support of cardiopulmonary bypass? (Rodriguez et al) (Letter); (Jahangiri et al) (Reply). 2000;119:634-5

Glutamate
Captopril-induced glutamate release at the start of reperfusion after cold cardioplegic storage of pig hearts (Randsbaek et al). 2000;119:1030-8

Graft rejection
Anti-HLA antibody binding to HLA class I molecules induces proliferation of airway epithelial cells: a potential mechanism for bronchiolitis obliterans syndrome (Reznik et al). 2000;119:39-45
Evidence against a pivotal role of preformed antibodies in delayed rejection of a guinea pig–to–rat heart xenograft (Grimm et al). 2000;119:477-87
Fresh porcine cardiac valves are not rejected in primates (Chen et al). 2000;119:1216-20
Surveillance transbronchial lung biopsies: implication for survival after lung transplantation (Swanson et al). 2000;119:27-38
Transforming growth factor β-1 gene transfer ameliorates acute lung allograft rejection (Mora et al). 2000;119:913-20

Graft survival
Tolerance induced without immunosuppression in a T-lymphocyte suicide-gene therapy cardiac allograft model in mice (Braunberger et al). 2000;119:46-53

H

Heart, mechanical
Transfer of patients receiving advanced mechanical circulatory support (McBride et al). 2000;119:1015-20

Heart aneurysm
Ventricular volume, chamber stiffness, and function after anteroapical aneurysm plication in the sheep (Ratcliffe et al). 2000;119:115-24

Heart arrest, induced
Intermediate lukewarm (20°C) antegrade intermittent blood cardioplegia compared with cold and warm blood cardioplegia (Chocron et al). 2000;119:610-6
Preoperative risk-of-death prediction model in heart surgery with deep hypothermic circulatory arrest in the neonate (Clancy et al). 2000;119:347-57
A prospective randomized study of neurocognitive function and S-100 protein after antegrade or retrograde brain perfusion with hypothermic arrest for aortic surgery (Svensson et al). 2000;119:163-6 (Brief comm.)

Heart-assist devices
Six-year experience of caring for forty-four patients with a left ventricular assist device at home: safe, economical, necessary (Morales et al). 2000; 119:251-9

Heart atrium
Adenosine triphosphate–dependent potassium channel modulation and cardioplegia-induced protection of human atrial muscle in an in vitro model of myocardial stunning (Monti et al). 2000;119:842-8
Preservation of the right atrial appendage improves reduced plasma atrial natriuretic peptide levels after the maze procedure (Yoshihara et al). 2000;119:790-4

Heart bypass, right
Revision of previous Fontan connections to total extracardiac cavopulmonary anastomosis: a multicenter experience (Marcelletti et al). 2000;119:340-6

Heart defects, congenital
Changes in whole blood lactate levels during cardiopulmonary bypass surgery for congenital cardiac disease: an early indicator of morbidity and mortality (Munoz et al). 2000;119:155-62
Does the degree of cyanosis affect myocardial adenosine triphosphate levels and function in children undergoing surgical procedures for congenital heart disease? (Najm et al). 2000;119:515-24
Management of pulmonary arteriovenous malformations after surgery for complex congenital heart disease (Bacha et al). 2000;119:175-6 (Brief comm.)
Regional low-flow perfusion provides cerebral circulatory support during neonatal aortic arch reconstruction (Pigula et al). 2000;119:331-9
Relief of bronchial compression caused by a congenital heart defect by remodeling of the aortic arch (Prêtre and Turina). 2000;119:173-4 (Brief comm.)
Vascular endothelial growth factor and basic fibroblast growth factor in children with cyanotic congenital heart disease (Starnes et al). 2000;119:534-9

Heart failure, congestive
Rabbit ventricular myocyte volume changes as a direct result of crystalloid cardioplegia in congestive heart failure induced by aortic regurgitation (Danetz et al). 2000;119:826-33
Six-year experience of caring for forty-four patients with a left ventricular assist device at home: safe, economical, necessary (Morales et al). 2000; 119:251-9

Heart-lung transplantation
Heart-lung versus double-lung transplantation for suppurative lung disease (Barlow et al). 2000;119:466-76

HeartMate
Novacor left ventricular assist system versus HeartMate vented electric left ventricular assist system as a long-term mechanical circulatory support device in bridging patients: a prospective study (El-Banayosy et al). 2000;119:581-7

Heart neoplasms
Expression of vascular endothelial growth factor and angiogenesis in cardiac myxoma: a study of fifteen patients (Kono et al). 2000;119:101-7

Heart septal defects
Aortopulmonary window associated with complete atrioventricular septal defect (McElhinney et al). 2000;119:1284-5 (Brief comm.)
Operation for partial atrioventricular septal defect: a forty-year review (El-Najdawi et al); (McCrindle) (Commentary). 2000;119:880-6

Heart septal defects, atrial
Superior vena cava approach to repair of sinus venosus atrial septal defect (Baskett and Ross). 2000;119:178-80 (Brief comm.)

Heart septum
Postinfarction ventricular septal rupture: early repair through the right atrial approach (Massetti et al). 2000;119:784-9

Heart transplantation
A clinical trial combining donor bone marrow infusion and heart transplantation: intermediate-term results (Pham et al). 2000;119:673-81
Construction of a bioengineered cardiac graft (Li et al). 2000;119:368-75
Highly efficient ex vivo gene transfer to the transplanted heart by means of hypothermic perfusion with a low dose of adenoviral vector (Pellegrini et al). 2000;119:493-500
Mechanisms of tolerance induction and prevention of cardiac allograft vasculopathy in miniature swine: the effect of augmentation of donor antigen load (Yamada et al). 2000;119:709-19
Tolerance induced without immunosuppression in a T-lymphocyte suicide-gene therapy cardiac allograft model in mice (Braunberger et al). 2000;119:46-53
Transforming growth factor β in relation to cardiac allograft vasculopathy after heart transplantation (Aziz et al). 2000;119:700-8

Heart valve
Fresh porcine cardiac valves are not rejected in primates (Chen et al). 2000;119:1216-20

Heart valve diseases
Bartonella infection: a significant cause of native valve endocarditis necessitating surgical management (James et al). 2000;119:171-2 (Brief comm.)

Heart valve prosthesis
Cardiac aspergillosis (Villate et al). 2000;119:403-4 (Letter)
A comparison of the hinge and near-hinge flow fields of the St Jude Medical Hemodynamics Plus and Regent bileaflet mechanical heart valves (Ellis and Yoganathan) 2000;119:83-93
Mitral valve repair and replacement for rheumatic disease (Yau et al). 2000;119:53-61
Predictive value of S-100β and neuron-specific enolase serum levels for adverse neurologic outcome after cardiac surgery (Georgiadis et al). 2000;119:138-47

Heart ventricle
Construction of a bioengineered cardiac graft (Li et al). 2000;119:368-75
Macro design, structure, and mechanics of the left ventricle (Spotnitz). 2000;119:1053-77

Hemofiltration
Abciximab (ReoPro) removal during cardiopulmonary bypass with a hemoconcentrator (Steinhubl et al) (Letter); (Poullis) (Reply). 2000;119:401

Heparin
Failure of danaparoid anticoagulation for cardiopulmonary bypass (Ariano et al). 2000;119:167-8 (Brief comm.)

Hernia
Spontaneous anterior thoracic lung hernias (Brock and Heitmiller). 2000;119:1046-7 (Brief comm.)

Hirudin
A quick assay for monitoring r-hirudin during cardiopulmonary bypass in patients with heparin-induced thrombocytopenia type II: adaptation of the ecarin clotting time to the ACT II device (Koster et al). 2000;119:1278-83

Histocompatibility antigens class I
Class I and class II anti-HLA antibodies after implantation of cryopreserved allograft material in pediatric patients (Hawkins et al). 2000;119:324-30

Histocompatibility antigens class II
Class I and class II anti-HLA antibodies after implantation of cryopreserved allograft material in pediatric patients (Hawkins et al). 2000;119:324-30

HLA antigens
Anti-HLA antibody binding to HLA class I molecules induces proliferation of airway epithelial cells: a potential mechanism for bronchiolitis obliterans syndrome (Reznik et al). 2000;119:39-45

HSP-70
The early response genes *c-jun* and HSP-70 are induced in regional cardiac stunning in conscious mammals (Meisner et al). 2000;119:820-5

Human factors
Human factors and cardiac surgery: a multicenter study (de Leval et al). 2000;119:661-72

Hypercholesterolemia, familial
Coronary artery bypass operation with arterial grafts in familial hypercholesterolemia (Kawasuji et al); (Tector and McDonald) (Commentary). 2000;119:1008-13

Hypertension
Paraplegia after coronary artery bypass operations: relationship to severe hypertension and vascular disease (Wong) (Letter); (Thomas) (Reply). 2000;119:1295

Hypertension, pulmonary
Secondary pulmonary hypertension does not adversely affect outcome after single lung transplantation (Huerd et al). 2000;119:458-65

Hypoglycemia
Solitary fibrous tumor associated with hypoglycemia: an example of the Doege-Potter syndrome (Chamberlain and Taggart). 2000;119:185-7 (Brief comm.)

Hypomagnesemia
Whole blood ionized magnesium: age-related differences in normal values and clinical implications of ionized hypomagnesemia in patients undergoing congenital cardiac surgery (Munoz et al). 2000;119:891-8

Hypoplastic left heart syndrome
Early results of the Fontan procedure in one hundred consecutive patients with hypoplastic left heart syndrome (Mosca et al). 2000;119:1110-8
Hypoplastic left heart syndrome: valuing the survival (Williams et al). 2000;119:720-31
Results of Norwood stage I operation: comparison of hypoplastic left heart syndrome with other malformations (Daebritz et al). 2000;119:358-67

Hypotension
Use of intravenous methylene blue for the treatment of refractory hypotension after cardiopulmonary bypass (Pagni and Austin). 2000;119:1297 (Letter)

Hypothermia, induced
The effects of a leukocyte-depleting filter on cerebral and renal recovery after deep hypothermic circulatory arrest (Langley et al). 2000;119:1262-9
The free radical spin trap α-phenyl-*tert*-butyl nitrone attenuates the cerebral response to deep hypothermic ischemia (Langley et al). 2000;119:305-13
Is maintained cranial hypothermia the only factor leading to improved outcome after retrograde cerebral perfusion? an experimental study using a chronic porcine model (Anttila et al). 2000;119:1021-9
Is there a relationship between systemic perfusion temperature during coronary artery bypass grafting and extent of intraoperative ischemic central nervous system injury? (Engelman et al). 2000;119:230-2
Preoperative risk-of-death prediction model in heart surgery with deep hypothermic circulatory arrest in the neonate (Clancy et al). 2000;119:347-57

Hypoxia
Acute hypoxia and reoxygenation impairs exhaled nitric oxide release and pulmonary mechanics (Pearl et al). 2000;119:931-8

I

Immunoglobulins, Fab
Abciximab (ReoPro) removal during cardiopulmonary bypass with a hemoconcentrator (Steinhubl et al) (Letter); (Poullis) (Reply). 2000;119:401

In memoriam
Donald L. Paulson (Urschel). 2000;119:411-2

Industry
The academic surgeon and industry (Kaiser). 2000;119:S29-32

Infant
Primary repair minimizing the use of conduits in neonates and infants with tetralogy or double-outlet right ventricle and anomalous coronary arteries (Tchervenkov et al). 2000;119:314-23
Pulmonary function after modified venovenous ultrafiltration in infants: a prospective, randomized trial (Keenan et al); (Hanley) (Commentary). 2000;119:501-5

Infant, newborn
Does the degree of cyanosis affect myocardial adenosine triphosphate levels and function in children undergoing surgical procedures for congenital heart disease? (Jahangiri et al). 2000;119:508-14
Preoperative risk-of-death prediction model in heart surgery with deep hypothermic circulatory arrest in the neonate (Clancy et al). 2000;119:347-57
Regional low-flow perfusion provides cerebral circulatory support during neonatal aortic arch reconstruction (Pigula et al). 2000;119:331-9

Infant, very low birth weight
Surgical management of active infective endocarditis in a premature neonate weighing 950 grams (Picarelli et al). 2000;119:380-1 (Brief comm.)

Insulin
Insulin cardioplegia for elective coronary bypass surgery (Rao et al); (Glower) (Commentary). 2000;119:1176-84

Interleukin-4
Functional interleukin 4 receptor and interleukin 2 receptor common γ-chain on human non–small cell lung cancers: novel targets for immune therapy (Essner et al). 2000;119:10-20

Intra-aortic balloon pumping
Balloon pump–induced pulsatile perfusion during cardiopulmonary bypass does not improve brain oxygenation (Ündar and Fraser) (Letter); (Kadoi and Saito) (Reply). 2000;119:189
Pulsatile perfusion during cardiopulmonary bypass (Bergman) (Letter); (Kadoi and Saito) (Reply). 2000;119:188

Intraoperative complications
Is there a relationship between systemic perfusion temperature during coronary artery bypass grafting and extent of intraoperative ischemic central nervous system injury? (Engelman et al). 2000;119:230-2
Particulate emboli capture by an intra-aortic filter device during cardiac surgery (Reichenspurner et al). 2000;119:233-41

Intubation, intratracheal
Evaluation and outcome of different surgical techniques for postintubation tracheoesophageal fistulas (Macchiarini et al). 2000;119:268-76

Ischemia
Reversal of spinal cord ischemia resulting from aortic dissection (Killen et al). 2000;119:1049-52 (Brief comm.)

Ischemia—cont'd
Reversible visceral ischemia detected by transesophageal echocardiography and near-infrared spectroscopy (Orihashi et al). 2000;119:384-6 (Brief comm.)

J

Jugular vein
A possible explanation for the failure to improve the internal jugular venous oxygen saturation with balloon pump–induced pulsatile perfusion (Miyamoto and Miyamoto) (Letter); (Kadoi and Saito) (Reply). 2000;119:855-6

K

Kidney transplantation
Mechanisms of tolerance induction and prevention of cardiac allograft vasculopathy in miniature swine: the effect of augmentation of donor antigen load (Yamada et al). 2000;119:709-19

L

Lactic acid
Changes in whole blood lactate levels during cardiopulmonary bypass surgery for congenital cardiac disease: an early indicator of morbidity and mortality (Munoz et al). 2000;119:155-62

Laser surgery
Transmyocardial laser revascularization combined with coronary artery bypass grafting: a multicenter, blinded, prospective, randomized, controlled trial (Allen et al). 2000;119:540-9

Leadership
Becoming a surgical leader (Cohn). 2000;119:S42-4
The core of leadership (Souba). 2000;119:414-9 (Editorial)

Leiomyosarcoma
Leiomyosarcoma of the bronchus: report of two cases of resection with long-term follow-up (Muscolino et al). 2000;119:853-4 (Brief comm.)

Letters
2000;119:188-95, 401-4, 631-6, 855-8, 1078, 1295-1300

Leukocytes
The effects of a leukocyte-depleting filter on cerebral and renal recovery after deep hypothermic circulatory arrest (Langley et al). 2000;119:1262-9

Lobectomy
Combined sleeve lobectomy and Ivor Lewis esophagectomy for synchronous primary carcinoma of the lung and Barrett esophagus (Kuhn et al). 2000;119:1289-90 (Brief comm.)
Detection of circulating tumor cells in patients with non–small cell lung cancer undergoing lobectomy by video-assisted thoracic surgery: a potential hazard for intraoperative hematogenous tumor cell dissemination (Yamashita et al). 2000;119:899-905
Survival related to lymph node involvement in lung cancer after sleeve lobectomy compared with pneumonectomy (Okada et al). 2000;119:814-9

Lung
Comparison of University of Wisconsin, Euro-Collins, low-potassium dextran, and Krebs-Henseleit solutions for hypothermic lung preservation (Chien et al). 2000;119:921-30
Pulmonary function after modified venovenous ultrafiltration in infants: a prospective, randomized trial (Keenan et al); (Hanley) (Commentary). 2000;119:501-5
Spontaneous anterior thoracic lung hernias (Brock and Heitmiller). 2000;119:1046-7 (Brief comm.)
Transgenic swine lungs expressing human CD59 are protected from injury in a pig-to-human model of xenotransplantation (Kulick et al). 2000;119:690-9
In vivo adenovirus-mediated endothelial nitric oxide synthase gene transfer ameliorates lung allograft ischemia-reperfusion injury (Suda et al). 2000;119:297-304

Lung diseases
Heart-lung versus double-lung transplantation for suppurative lung disease (Barlow et al). 2000;119:466-76
Pulmonary surfactant and cardiopulmonary bypass in infants (Millar et al) (Letter); (Paul et al) (Reply). 2000;119:192-3

Lung neoplasms
Combined sleeve lobectomy and Ivor Lewis esophagectomy for synchronous primary carcinoma of the lung and Barrett esophagus (Kuhn et al). 2000;119:1289-90 (Brief comm.)
Complete resurrection: Yes or no? (Kutlu et al) (Letter); (Asamura) (Reply). 2000;119:193-4
Does pneumonectomy for lung cancer adversely influence long-term survival? (Ferguson and Karrison). 2000;119:440-8
Factors determining outcome after surgical resection of T3 and T4 lung cancers of the superior sulcus (Rusch et al). 2000;119:1147-53
Induction chemotherapy before surgery for early-stage lung cancer: a novel approach (Pisters et al). 2000;119:429-39
Inflammatory pseudotumors of the lung: a clinical study of eleven patients (Topçu et al). 2000;119:180-2 (Brief comm.)
Second operation for upper mediastinal lymphadenopathy after complete resection for left lung cancer (Sato et al). 2000;119:1291-2 (Brief comm.)

Sex differences in presentations, management, and prognosis of patients with non–small cell lung carcinoma (de Perrot et al). 2000;119:21-6

Survival related to lymph node involvement in lung cancer after sleeve lobectomy compared with pneumonectomy (Okada et al). 2000;119:814-9

Tumor implantation after computed tomography–guided biopsy of lung cancer (Raftopoulos et al). 2000;119:1288 (Brief comm.)

Lung transplantation

Heart-lung versus double-lung transplantation for suppurative lung disease (Barlow et al). 2000;119:466-76

Preimplantation retrograde pneumoplegia in clinical lung transplantation (Sarsam) (Letter); (Venuta) (Reply). 2000;119: 635-6

Pulmonary hemodynamics contribute to indicate priority for lung transplantation in patients with cystic fibrosis (Venuta et al). 2000;119:682-9

Raffinose improves the function of rat pulmonary grafts stored for twenty-four hours in low-potassium dextran solution (Fischer et al). 2000;119:488-92

Secondary pulmonary hypertension does not adversely affect outcome after single lung transplantation (Huerd et al). 2000;119:458-65

Surveillance transbronchial lung biopsies: implication for survival after lung transplantation (Swanson et al). 2000;119:27-38

Transcutaneous extracorporeal cannulation for bilateral lung transplantation without splitting the sternum (Varela et al). 2000;119:402-3 (Letter)

Transforming growth factor β-1 gene transfer ameliorates acute lung allograft rejection (Mora et al). 2000;119:913-20

In vivo adenovirus-mediated endothelial nitric oxide synthase gene transfer ameliorates lung allograft ischemia-reperfusion injury (Suda et al). 2000;119:297-304

Lymph node excision

Complete resurrection: Yes or no? (Kutlu et al) (Letter); (Asamura) (Reply). 2000;119:193-4

Lymphangioleiomyomatosis

Lymphangioleiomyomatosis: the surgeon's role in diagnosis (Deeb et al). 2000;119:622-3 (Brief comm.)

Lymphokines

Expression of vascular endothelial growth factor and angiogenesis in cardiac myxoma: a study of fifteen patients (Kono et al). 2000;119:101-7

M

Magnesium

Whole blood ionized magnesium: age-related differences in normal values and clinical implications of ionized hypomagnesemia in patients undergoing congenital cardiac surgery (Munoz et al). 2000;119:891-8

Maze procedure

Combined mitral valve repair and the Cox maze procedure for mitral valve prolapse and regurgitation and associated atrial fibrillation (Cheng). 2000;119:634 (Letter)

Preservation of the right atrial appendage improves reduced plasma atrial natriuretic peptide levels after the maze procedure (Yoshihara et al). 2000;119:790-4

Mediastinitis

Descending necrotizing mediastinitis: an analysis of the effects of serial surgical debridement on patient mortality (Freeman et al). 2000;119:260-7

Is the use of topical vancomycin to prevent mediastinitis after cardiac surgery justified? (Oakley et al). 2000;119:190-1 (Letter)

Mediastinum

The role of computed tomographic scanning in diagnosing mediastinal node involvement in non–small cell lung cancer (Takamochi et al). 2000;119:1135-40

Second operation for upper mediastinal lymphadenopathy after complete resection for left lung cancer (Sato et al). 2000;119:1291-2 (Brief comm.)

Mentors

Mentoring (Loop). 2000;119:S45-8

Mesentery

Effects of selectin-sialyl Lewis^x blockade on mesenteric microvascular permeability associated with cardiopulmonary bypass (Cox et al). 2000;119: 1255-61

Methylene blue

Should methylene blue be the drug of choice to treat vasoplegias caused by cardiopulmonary bypass and anaphylactic shock? (Evora) (Letter); (Yiu) (Reply). 2000;119:632-3

Use of intravenous methylene blue for the treatment of refractory hypotension after cardiopulmonary bypass (Pagni and Austin). 2000;119:1297 (Letter)

Milrinone

Vasorelaxant effect of phosphodiesterase-inhibitor milrinone in the human radial artery used as coronary bypass graft (He and Yang). 2000;119:1039-45

Mitral valve

Mitral valve repair and replacement for rheumatic disease (Yau et al). 2000;119:53-61

Mitral valve insufficiency

Ring annuloplasty prevents delayed leaflet coaptation and mitral regurgitation during acute left ventricular ischemia (Timek et al). 2000;119:774-83

Mitral valve prolapse

Combined mitral valve repair and the Cox maze procedure for mitral valve prolapse and regurgitation and associated atrial fibrillation (Cheng). 2000;119:634 (Letter)

Mitral valve regurgitation; *see* Mitral valve insufficiency

Models, theoretical
Method of determination of aortic valve parameters for its reconstruction with autopericardium: an experimental study (Gasparyan). 2000;119:386-7 (Brief comm.)

Monitoring, physiologic
Brain function monitoring during bidirectional Glenn procedures (Rodriguez et al). 2000;119:617-9 (Brief comm.)

Muscle, smooth, vascular
Inducible expression of basic transcription element-binding protein 2 in proliferating smooth muscle cells at the vascular anastomotic stricture (Ogata et al). 2000;119:983-9

Myoblasts
Comparison of the effects of fetal cardiomyocyte and skeletal myoblast transplantation on postinfarction left ventricular function (Scorsin et al). 2000;119:1169-75

Myocardial infarction
Autologous porcine heart cell transplantation improved heart function after a myocardial infarction (Li et al). 2000;119:62-8
Radio frequency heating of chronic ovine myocardial infarct leads to sustained infarct area and ventricular volume reduction (Ratcliffe et al). 2000;119:1194-204

Myocardial ischemia
Ring annuloplasty prevents delayed leaflet coaptation and mitral regurgitation during acute left ventricular ischemia (Timek et al). 2000;119:774-83

Myocardial reperfusion
Captopril-induced glutamate release at the start of reperfusion after cold cardioplegic storage of pig hearts (Randsbaek et al). 2000;119:1030-8
Controlled postcardioplegia reperfusion: mechanism for attenuation of reperfusion injury (Holman et al). 2000;119:1093-101
Warm reperfusion as an adjunct to myocardial protection (Chocron and Etievent). 2000;119:1078 (Letter)

Myocardial revascularization
Long-term results of simultaneous carotid endarterectomy and myocardial revascularization with cardiopulmonary bypass used for both procedures (Minami et al); (Atkins) (Commentary). 2000;119:764-72
Results of revascularization in patients with severe left ventricular dysfunction (Mickleborough et al). 2000;119:550-7
Serum S-100 release and neuropsychologic outcome during coronary revascularization on the beating heart: a prospective randomized study (Lloyd et al). 2000;119:148-54
Systemic off-pump coronary artery revascularization in multivessel disease: experience of three hundred cases (Cartier et al). 2000;119:221-9
Transmyocardial laser revascularization combined with coronary artery bypass grafting: a multicenter, blinded, prospective, randomized, controlled trial (Allen et al). 2000;119:540-9

Myocardium
Calcitonin gene–related peptide enhances the recovery of contractile function in stunned myocardium (Atkins et al). 2000;119:1246-54
Effects of retrograde cardioplegia on myocardial perfusion and energy metabolism in immature porcine myocardium (Oriaku et al). 2000;119:1102-9
Mechanisms of myocardial protection by adenosine-supplemented cardioplegic solution: myofilament and metabolic responses (Fogelson et al). 2000;119:601-9

Myxoma
Expression of vascular endothelial growth factor and angiogenesis in cardiac myxoma: a study of fifteen patients (Kono et al). 2000;119:101-7

N

Natriuretic peptides, atrial; *see* Atrial natriuretic factor

Neovascularization, pathologic
Expression of vascular endothelial growth factor and angiogenesis in cardiac myxoma: a study of fifteen patients (Kono et al). 2000;119:101-7

Nerve tissue protein S 100
Biochemical markers of brain injury after cardiac surgery (Harmon and Stump). 2000;119:130-1 (Commentary)
Is there a relationship between serum S-100β protein and neuropsychologic dysfunction after cardiopulmonary bypass? (Westaby et al). 2000;119:132-7
Predictive value of S-100β and neuron-specific enolase serum levels for adverse neurologic outcome after cardiac surgery (Georgiadis et al). 2000;119:138-47
A prospective randomized study of neurocognitive function and S-100 protein after antegrade or retrograde brain perfusion with hypothermic arrest for aortic surgery (Svensson et al). 2000;119:163-6 (Brief comm.)
Serum S-100 release and neuropsychologic outcome during coronary revascularization on the beating heart: a prospective randomized study (Lloyd et al). 2000;119:148-54

Neutropenia
Successful local excision and long-term survival for invasive pulmonary aspergillosis during neutropenia after bone marrow transplantation (Habicht et al). 2000;119:1286-7 (Brief comm.)

Neutrophils
Stimulation of neutrophil integrin expression during coronary artery bypass grafting: comparison of crystalloid and blood cardioplegia (Kalawski et al). 2000;119:1270-7

Nitric oxide
Acute hypoxia and reoxygenation impairs exhaled nitric oxide release and pulmonary mechanics (Pearl et al). 2000;119:931-8

Nitric-oxide synthase
In vivo adenovirus-mediated endothelial nitric oxide synthase gene transfer ameliorates lung allograft ischemia-reperfusion injury (Suda et al). 2000;119:297-304

Nitrogen oxides
The free radical spin trap α-phenyl-*tert*-butyl nitrone attenuates the cerebral response to deep hypothermic ischemia (Langley et al). 2000;119:305-13

Nitroprusside
Sodium nitroprusside in patients with compromised left ventricular dysfunction (Massoudy et al). 2000;119:566-74

Notes from the editor
2000;119:637

Notice of correction
2000;119;636

Novacor
Novacor left ventricular assist system versus HeartMate vented electric left ventricular assist system as a long-term mechanical circulatory support device in bridging patients: a prospective study (El-Banayosy et al). 2000;119:581-7

O

Obituary
Donald L. Paulson (Urschel). 2000;199:411-2

Organizational innovation
Innovation in surgery (David). 2000;119:S38-41

Outpatients
Six-year experience of caring for forty-four patients with a left ventricular assist device at home: safe, economical, necessary (Morales et al). 2000;119:251-9

Oxygen consumption
Oxygen consumption after cardiopulmonary bypass surgery in children: determinants and implications (Li et al). 2000;119:525-33
Pulsatile perfusion during cardiopulmonary bypass (Bergman) (Letter); (Kadoi and Saito) (Reply). 2000;119:188

Oxygenation
A possible explanation for the failure to improve the internal jugular venous oxygen saturation with balloon pump–induced pulsatile perfusion (Miyamoto and Miyamoto) (Letter); (Kadoi and Saito) (Reply). 2000;119:855-6

P

Paclitaxel
Paclitaxel-induced apoptosis in non–small cell lung cancer cell lines is associated with increased caspase-3 activity (Weigel et al). 2000;119:795-803

Paraplegia
Hypothermic retrograde venous perfusion with adenosine cools the spinal cord and reduces the risk of paraplegia after thoracic aortic clamping (Ross et al). 2000;119:588-95

Paulson, Donald L.
In memoriam (Urschel). 2000;119:411-2

Perfusion
Effects of retrograde cardioplegia on myocardial perfusion and energy metabolism in immature porcine myocardium (Oriaku et al). 2000;119:1102-9

Pericardium
Method of determination of aortic valve parameters for its reconstruction with autopericardium: an experimental study (Gasparyan). 2000;119:386-7 (Brief comm.)

Peritoneum
Reversible visceral ischemia detected by transesophageal echocardiography and near-infrared spectroscopy (Orihashi et al). 2000;119:384-6 (Brief comm.)

Phosphodiesterase inhibitors
Vasorelaxant effect of phosphodiesterase-inhibitor milrinone in the human radial artery used as coronary bypass graft (He and Yang). 2000;119:1039-45

Phosphopyruvate hydratase
Biochemical markers of brain injury after cardiac surgery (Harmon and Stump). 2000;119:130-1 (Commentary)
Predictive value of S-100β and neuron-specific enolase serum levels for adverse neurologic outcome after cardiac surgery (Georgiadis et al). 2000;119:138-47

Planning techniques
Developing administrative skills (Crawford). 2000;119:S33-7

Pleural neoplasms
Solitary fibrous tumor associated with hypoglycemia: an example of the Doege-Potter syndrome (Chamberlain and Taggart). 2000;119:185-7 (Brief comm.)

Pneumonectomy
Does pneumonectomy for lung cancer adversely influence long-term survival? (Ferguson and Karrison). 2000;119:440-8
Survival related to lymph node involvement in lung cancer after sleeve lobectomy compared with pneumonectomy (Okada et al). 2000;119:814-9
In vivo estimation of septal lung tissue volume and correlation with diffusing capacity in lung volume reduction surgery (Takeda et al). 2000;119:191-2 (Letter)

Pneumoplegia
Preimplantation retrograde pneumoplegia in clinical lung transplantation (Sarsam) (Letter); (Venuta) (Reply). 2000;119:635-6

Pneumothorax
Inferred observation during thoracoscopic surgery for bullous disease (Suzuki et al). 2000;119:182-4 (Brief comm.)

Postoperative complications
Changes in whole blood lactate levels during cardiopulmonary bypass surgery for congenital cardiac disease: an early indicator of morbidity and mortality (Munoz et al). 2000;119:155-62
Dilation of the pulmonary autograft after the Ross procedure (David et al). 2000;119:210-20
Revision of previous Fontan connections to total extracardiac cavopulmonary anastomosis: a multicenter experience (Marcelletti et al). 2000;119:340-6

Postpneumonectomy syndrome
Pulmonary vascular compromise in a child with postpneumonectomy syndrome (Rodefeld et al). 2000;119:851-3 (Brief comm.)

Prajmaline
Prolonged cardiopulmonary bypass for severe drug intoxication (Pasic et al). 2000;119:379-80 (Brief comm.)

Presidential address
Twenty-five years of excellence: the legacy and the challenge (Jones). 2000;119:203-9

Prosthesis
Carinal reconstruction with a Y-shaped collagen-conjugated prosthesis (Sekine et al). 2000;119:1162-8

Pulmonary arteries
Dilation of the pulmonary autograft after the Ross procedure (David et al). 2000;119:210-20
Management of pulmonary arteriovenous malformations after surgery for complex congenital heart disease (Bacha et al). 2000;119:175-6 (Brief comm.)
Right-sided aortic arch with bilateral ductus: a rare case of nonconfluent pulmonary arteries without associated cardiac anomalies (McElhinney et al). 2000;119:849-51 (Brief comm.)

Pulmonary circulation
Effects of preoperative chemotherapy and radiation therapy on human bronchial blood flow (Yamamoto et al). 2000;119:939-45
Tissue-engineered valved conduits in the pulmonary circulation (Stock et al). 2000;119:732-40

Pulmonary diffusing capacity
In vivo estimation of septal lung tissue volume and correlation with diffusing capacity in lung volume reduction surgery (Takeda et al). 2000;119:191-2 (Letter)

Pulmonary emphysema
Inferred observation during thoracoscopic surgery for bullous disease (Suzuki et al). 2000;119:182-4 (Brief comm.)

Pulmonary graft; *see* Lung transplantation

Pulmonary surfactants
Pulmonary surfactant and cardiopulmonary bypass in infants (Millar et al) (Letter); (Paul et al) (Reply). 2000;119:192-3

Pulmonary valve
Body surface area as a predictor of aortic and pulmonary valve diameter (Capps et al). 2000;119:975-82
Increase in size of the pulmonary autograft after the Ross operation in children: Growth or dilation? (Solymar et al). 2000;119:4-9

Pulsatile flow
A possible explanation for the failure to improve the internal jugular venous oxygen saturation with balloon pump–induced pulsatile perfusion (Miyamoto and Miyamoto) (Letter); (Kadoi and Saito) (Reply). 2000;119:855-6

Q

Quality of life
Hypoplastic left heart syndrome: valuing the survival (Williams et al). 2000;119:720-31

R

Radial artery
Comparative study on calcium channel antagonists in the human radial artery: clinical implications (He and Yang). 2000;119:94-100
Vasorelaxant effect of phosphodiesterase-inhibitor milrinone in the human radial artery used as coronary bypass graft (He and Yang). 2000;119:1039-45

Radiation therapy
Effects of preoperative chemotherapy and radiation therapy on human bronchial blood flow (Yamamoto et al). 2000;119:939-45

Raffinose
Raffinose improves the function of rat pulmonary grafts stored for twenty-four hours in low-potassium dextran solution (Fischer et al). 2000;119:488-92

Receptors, interleukin-2
Functional interleukin 4 receptor and interleukin 2 receptor common γ-chain on human non–small cell lung cancers: novel targets for immune therapy (Essner et al). 2000;119:10-20

Receptors, interleukin-4
Functional interleukin 4 receptor and interleukin 2 receptor common γ-chain on human non–small cell lung cancers: novel targets for immune therapy (Essner et al). 2000;119:10-20

Research
The academic surgeon and industry (Kaiser). 2000;119:S29-32

Clinical science research (Glover and Shroyer). 2000;119:S11-21

Research support
Getting funded (Kron). 2000;119:S26-8

Respiratory failure
Preemptive gastrointestinal tract management reduces aspiration and respiratory failure after thoracic operations (Roberts et al). 2000;119:449-52

Retraction
Venovenous ultrafiltration after cardiopulmonary bypass in children: a prospective randomized study (Hennein). 2000;119:630

Rheumatic heart disease
Mitral valve repair and replacement for rheumatic disease (Yau et al). 2000;119:53-61

Ribs
Ewing sarcoma of the rib: results of an intergroup study with analysis of outcome by timing of resection (Shamberger et al). 2000;119:1154-61

Risk factors
Competing risks after coronary bypass surgery: the influence of death on reintervention (Blackstone and Lytle). 2000;119:1221-32

Robotics
Initial United States clinical trial of robotically assisted endoscopic coronary artery bypass grafting (Damiano et al). 2000;119:77-82

Ross procedure
Size and distensibility of the aortic root and aortic valve function after different techniques of the Ross procedure (Schmidtke et al). 2000;119:990-7

S

St Jude Medical
A comparison of the hinge and near-hinge flow fields of the St Jude Medical Hemodynamics Plus and Regent bileaflet mechanical heart valves (Ellis and Yoganathan) 2000;119:83-93

Saline solutions
Alternate explanation of the additive protective effects of regional infusion of hypothermic saline and adenosine solutions (Miyamoto and Miyamoto). 2000;119:631-2 (Letter)

Saphenous vein
Clinical benefits of endoscopic vein harvesting in patients with risk factors for saphenectomy wound infections undergoing coronary artery bypass grafting (Carpino et al). 2000;119:69-76
Potential role of vacuolar H^+-adenosine triphosphatase in neointimal formation in cultured human saphenous vein (Otani et al). 2000;119:998-1007

Sarcoma, Ewing's
Ewing sarcoma of the rib: results of an intergroup study with analysis of outcome by timing of resection (Shamberger et al). 2000;119:1154-61

Selectins
Effects of selectin-sialyl Lewis^x blockade on mesenteric microvascular permeability associated with cardiopulmonary bypass (Cox et al). 2000;119:1255-61

Shock, anaphylactic
Should methylene blue be the drug of choice to treat vasoplegias caused by cardiopulmonary bypass and anaphylactic shock? (Evora) (Letter); (Yiu) (Reply). 2000;119:632-3

Sinus venosus syndrome
Transcaval repair of the sinus venosus syndrome (Nicholson et al). 2000;119:741-4

Sinuses
Re-creation of sinuses is important for sparing the aortic valve: a finite element study (Grande-Allen et al); (David) (Commentary). 2000;119:753-62

Societies, medical
Twenty-five years of excellence: the legacy and the challenge (Jones). 2000;119:203-9 (Presidential address)

Spectroscopy, near-infrared
Reversible visceral ischemia detected by transesophageal echocardiography and near-infrared spectroscopy (Orihashi et al). 2000;119:384-6 (Brief comm.)

Spin labels
The free radical spin trap α-phenyl-*tert*-butyl nitrone attenuates the cerebral response to deep hypothermic ischemia (Langley et al). 2000;119:305-13

Spinal cord
The anterior spinal artery: the main arterial supply of the human spinal cord—a preliminary anatomic study (Biglioli et al). 2000;119:376-9 (Brief comm.)
Hypothermic retrograde venous perfusion with adenosine cools the spinal cord and reduces the risk of paraplegia after thoracic aortic clamping (Ross et al). 2000;119:588-95
Reversal of spinal cord ischemia resulting from aortic dissection (Killen et al). 2000;119:1049-52 (Brief comm.)

Stents
Aortic valve replacement with the Freestyle stentless bioprosthesis with respect to spacial orientation of patient coronary ostia (Kalangos et al). 2000;119:1185-92
Endovascular stent-graft repair with a flexible stent-graft and a simple applicator prepared from a syringe (Moriyama et al). 2000;119:620-1 (Brief comm.)
Management of the congenitally abnormal right ventricular outflow tract—What is the right approach? (Hanley). 2000;119:1-3 (Editorial)

Sternum
Modifiable risk factors associated with deep sternal site infection after coronary artery bypass grafting (Trick et al). 2000;119:108-14

Stomach
Eliminating the cervical esophagogastric anastomotic leak with a side-to-side stapled anastomosis (Orringer et al). 2000;119:277-88
Esophagectomy with gastric reconstruction for achalasia (Sader). 2000;119:194-5 (Letter)
Suction
Descending necrotizing mediastinitis: an analysis of the effects of serial surgical debridement on patient mortality (Freeman et al). 2000;119:260-7
Surgery for acquired cardiovascular disease
2000;119:53-129, 210-41, 540-80,753-94, 946-1014, 1169-1245
Surgery for congenital heart disease
2000;119:1-9, 305-75, 501-39, 720-52, 869-98, 1093-1118
Surgical wound infection
Clinical benefits of endoscopic vein harvesting in patients with risk factors for saphenectomy wound infections undergoing coronary artery bypass grafting (Carpino et al). 2000;119:69-76
Is the use of topical vancomycin to prevent mediastinitis after cardiac surgery justified? (Oakley et al). 2000;119:190-1 (Letter)
Modifiable risk factors associated with deep sternal site infection after coronary artery bypass grafting (Trick et al). 2000;119:108-14
Survival
Does pneumonectomy for lung cancer adversely influence long-term survival? (Ferguson and Karrison). 2000;119:440-8
Hypoplastic left heart syndrome: valuing the survival (Williams et al). 2000;119:720-31
Reduced survival in women after valve surgery for aortic regurgitation: impact of aortic enlargement and late aortic rupture (McDonald et al). 2000;119:1205-15
Successful local excision and long-term survival for invasive pulmonary aspergillosis during neutropenia after bone marrow transplantation (Habicht et al). 2000;119:1286-7 (Brief comm.)
Survival related to lymph node involvement in lung cancer after sleeve lobectomy compared with pneumonectomy (Okada et al). 2000;119:814-9
Suture techniques
Bioabsorbable weave technique for repair of pectus excavatum (Brooks and Tripp). 2000;119:176-8 (Brief comm.)
Sutures
Eliminating the cervical esophagogastric anastomotic leak with a side-to-side stapled anastomosis (Orringer et al). 2000;119:277-88
Syringes
Endovascular stent-graft repair with a flexible stent-graft and a simple applicator prepared from a syringe (Moriyama et al). 2000;119:620-1 (Brief comm.)

T

T-lymphocytes
Tolerance induced without immunosuppression in a T-lymphocyte suicide-gene therapy cardiac allograft model in mice (Braunberger et al). 2000;119:46-53
Teaching
Developing the academic thoracic surgeon: teaching surgery (Baumgartner and Greene). 2000;119:S22-5
Tetralogy of Fallot
Primary repair minimizing the use of conduits in neonates and infants with tetralogy or double-outlet right ventricle and anomalous coronary arteries (Tchervenkov et al). 2000;119:314-23
Thoracic arteries
Clinical results of coronary artery bypass grafting with use of the internal thoracic artery under low free flow conditions (Hata et al). 2000;119:125-9
Thoracic duct
Chylothorax complicating esophagectomy for cancer: a plea for early thoracic duct ligation (Merigliano et al). 2000;119:453-7
The Thoracic Surgery Foundation for Research and Education
April 2000 Alley-Sheridan Fellows. 2000;1999:1310
Harvard Executive Course. 2000;1999:1092
Kennedy School Sabbatical. 2000;1999:201-2
November 1999 Alley-Sheridan Scholars. 2000; 1999:201
Planned giving opportunities. 2000;1999:1092
Research Award Recipients. 2000;1999:868
Robert Wood Johnson Foundation Educational Opportunities. 2000;1999:202
Thoracoscopy
Inferred observation during thoracoscopic surgery for bullous disease (Suzuki et al). 2000;119:182-4 (Brief comm.)
Thoratec ventricular assist device
Single-center experience with the Thoratec ventricular assist device (Körfer et al). 2000;119:596-600
Thorax
Chest wall resection for locally recurrent breast cancer: Is it worthwhile? (Downey et al). 2000;119:420-8
Preemptive gastrointestinal tract management reduces aspiration and respiratory failure after thoracic operations (Roberts et al). 2000;119:449-52
Spontaneous anterior thoracic lung hernias (Brock and Heitmiller). 2000;119:1046-7 (Brief comm.)
Thrombocytopenia
A quick assay for monitoring r-hirudin during cardiopulmonary bypass in patients with heparin-induced thrombocytopenia type II: adaptation of the ecarin clotting time to the ACT II device (Koster et al). 2000;119:1278-83
Thrombosis
Intracardiac thrombus formation after the Fontan opera-

tion (Balling et al); (Jonas) (Commentary). 2000;119:745-51

Surgical management of active infective endocarditis in a premature neonate weighing 950 grams (Picarelli et al). 2000;119:380-1 (Brief comm.)

Thymoma

Clinical-pathologic conference in thoracic surgery: Masaoka stage 2-A thymoma (Patterson and Campbell). 2000;119:624-9

Time factors

Ewing sarcoma of the rib: results of an intergroup study with analysis of outcome by timing of resection (Shamberger et al). 2000;119:1154-61

Tomography, x-ray computed

The role of computed tomographic scanning in diagnosing mediastinal node involvement in non–small cell lung cancer (Takamochi et al). 2000;119:1135-40

Tumor implantation after computed tomography–guided biopsy of lung cancer (Raftopoulos et al). 2000;119:1288 (Brief comm.)

Tracheoesophageal fistula

Evaluation and outcome of different surgical techniques for postintubation tracheoesophageal fistulas (Macchiarini et al). 2000;119:268-76

Training support

Getting funded (Kron). 2000;119:S26-8

Tranexamic acid

Topical use of tranexamic acid in coronary artery bypass operations: a double-blind, prospective, randomized, placebo-controlled study (De Bonis et al). 2000;119:575-80

Transforming growth factor beta

Transforming growth factor β in relation to cardiac allograft vasculopathy after heart transplantation (Aziz et al). 2000;119:700-8

Transplantation, heterologous

Evidence against a pivotal role of preformed antibodies in delayed rejection of a guinea pig–to–rat heart xenograft (Grimm et al). 2000;119:477-87

Transgenic swine lungs expressing human CD59 are protected from injury in a pig-to-human model of xenotransplantation (Kulick et al). 2000;119:690-9

Treatment outcome

Secondary pulmonary hypertension does not adversely affect outcome after single lung transplantation (Huerd et al). 2000;119:458-65

Surgical treatment of pulmonary aspergilloma: current outcome (Babatasi et al). 2000;119:906-12

Truncus arteriosus

Does the degree of cyanosis affect myocardial adenosine triphosphate levels and function in children undergoing surgical procedures for congenital heart disease? (Jahangiri et al). 2000;119:508-14

Tumor necrosis factor

Aprotinin preserves myocardial biochemical function during cold storage through suppression of tumor necrosis factor (Bull et al). 2000;119:242-50

U

Ultrafiltration

Pulmonary function after modified venovenous ultrafiltration in infants: a prospective, randomized trial (Keenan et al); (Hanley) (Commentary). 2000;119:501-5

Venovenous ultrafiltration after cardiopulmonary bypass in children: a prospective randomized study (Hennein). 2000;119:630 (Retraction)

V

Vancomycin

Is the use of topical vancomycin to prevent mediastinitis after cardiac surgery justified? (Oakley et al). 2000;119:190-1 (Letter)

Vascular disease

Paraplegia after coronary artery bypass operations: relationship to severe hypertension and vascular disease (Wong) (Letter); (Thomas) (Reply). 2000;119:1295

Vasodilatation

Vasodilatation after cardiac surgery (Poullis). 2000;119:857 (Letter)

Vasodilator agents

Comparative study on calcium channel antagonists in the human radial artery: clinical implications (He and Yang). 2000;119:94-100

Vasoplegia

Should methylene blue be the drug of choice to treat vasoplegias caused by cardiopulmonary bypass and anaphylactic shock? (Evora) (Letter); (Yiu) (Reply). 2000;119:632-3

Vena cava, superior

Superior vena cava approach to repair of sinus venosus atrial septal defect (Baskett and Ross). 2000;119:178-80 (Brief comm.)

Ventricular dysfunction

Novacor left ventricular assist system versus HeartMate vented electric left ventricular assist system as a long-term mechanical circulatory support device in bridging patients: a prospective study (El-Banayosy et al). 2000;119:581-7

Single-center experience with the Thoratec ventricular assist device (Körfer et al). 2000;119:596-600

Ventricular dysfunction, left

Results of revascularization in patients with severe left ventricular dysfunction (Mickleborough et al). 2000;119:550-7

Ring annuloplasty prevents delayed leaflet coaptation and mitral regurgitation during acute left ventricular ischemia (Timek et al). 2000;119:774-83

Sodium nitroprusside in patients with compromised left ventricular dysfunction (Massoudy et al). 2000;119:566-74

Ventricular dysfunction, left—cont'd
Ten weeks of rapid ventricular pacing creates a long-term model of left ventricular dysfunction (Patel et al). 2000;119:834-41

Ventricular function
Radio frequency heating of chronic ovine myocardial infarct leads to sustained infarct area and ventricular volume reduction (Ratcliffe et al). 2000;119:1194-204
Ventricular volume, chamber stiffness, and function after anteroapical aneurysm plication in the sheep (Ratcliffe et al). 2000;119:115-24

Ventricular function, left
Comparison of the effects of fetal cardiomyocyte and skeletal myoblast transplantation on postinfarction left ventricular function (Scorsin et al). 2000;119:1169-75

Ventricular outflow obstruction
Management of the congenitally abnormal right ventricular outflow tract—What is the right approach? (Hanley). 2000;119:1-3 (Editorial)

Ventricular septal rupture
Postinfarction ventricular septal rupture: early repair through the right atrial approach (Massetti et al). 2000;119:784-9

Vertebral artery
The anterior spinal artery: the main arterial supply of the human spinal cord—a preliminary anatomic study (Biglioli et al). 2000;119:376-9 (Brief comm.)

Video recording
Detection of circulating tumor cells in patients with non–small cell lung cancer undergoing lobectomy by video-assisted thoracic surgery: a potential hazard for intraoperative hematogenous tumor cell dissemination (Yamashita et al). 2000;119:899-905

W

Waldhausen JA
Retirement of Journal Editor (Waldhausen). 2000;119:637

Western Thoracic Surgical Association
Notice of 2000 annual meeting. 2000;1999:199-200, 408-9, 658-9, 865-6, 1085-6, 1307-8
Twenty-five years of excellence: the legacy and the challenge (Jones) (Pres. Add.). 2000;119:203-9
Program for 2000 annual meeting. 2000;1999:1086-1090

X

Xenograft; *see* Transplantation, heterologous